

## Lechner/Coautoren PubMed Publikationen zitiert in.....

Stand: 15-08-2023

1. **Mangelsdorf I, Walach H, Mutter J. Healing of Amyotrophic Lateral Sclerosis: A Case Report. Complement Med Res 2017;24:175–181. DOI: 10.1159/000477397**

Lechner J, von Baehr V: RANTES and fibroblast growth factor 2 in jawbone cavitations: triggers for systemic disease? Int J Gen Med 2013;6:277-290.

Lechner J, Mayer W: Immune messengers in neuralgia inducing cavitational osteonecrosis (NICO) in jaw bone and systemic interference. Eur J Integr Med 2010;2:71-77.

2. **Díaz Pérez, C. A., Barreiro Mendoza, G. N., & Martínez Rodríguez, M. (2018). Dolor crónico del maxilar. Presentación de un caso. Revista Información Científica, 97(1), 175-182.**

Lechner J, Von Baehr V. Peripheral Neuropathic Facial/Trigeminal Pain and Rantes/Ccl5 in Jawbone Cavitation. Evidence-Based Complementary and Alternative Medicine. 2015.

3. **洪帆, 梁江萍, 秦婷婷, 夏俊, & 徐洋. (2015). 乳腺癌患者化疗后乙肝病毒再激活及拉米夫定预防性应用的临床研究. 现代生物医学进展, (8), 1505-1508.**

Translation:

Clinical Study of HBV Reactivation and Prophylactic Application of Lamivudine in Breast Cancer Patients after Chemotherapy

[2] Lechner J, von Baehr V. Hyperactivated Signaling Pathways of Chemokine RANTES/CCL5 in Osteopathies of Jawbone in Breast Cancer Patients – Case Report and Research [J]. Breast Cancer (Auckl), 2014,8:89-96

4. **Tormod B. Krüger, Bente B. Herlofson, Maria A. Landin & Janne E. Reseland (2016): Alendronate alters osteoblast activities, Acta Odontologica Scandinavica, DOI: 10.1080/00016357.2016.1217041**

Lechner J, von Baehr V. Chemokine RANTES/CCL5 as an unknown link between wound healing in the jawbone and systemic disease: is prediction and tailored treatments in the horizon? EPMA J. 2015;6:10.

5. Naveau, A., Shinmyouzu, K., Moore, C., Avivi-Arber, L., Jokerst, J., & Koka, S. (2019). Etiology and measurement of peri-implant crestal bone loss (CBL). *Journal of clinical medicine*, 8(2), 166.

Lechner, J., Noubbissi, S., & von Baehr, V. (2018). Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA Journal*, 9(3), 331-343.

6. Polli, A., Van Oosterwijck, J., Nijs, J., Marusic, U., De Wandele, I., Paul, L., ... & Ickmans, K. (2019). Relationship between exercise-induced oxidative stress changes and parasympathetic activity in chronic fatigue syndrome: an observational study in patients and healthy subjects. *Clinical therapeutics*, 41(4), 641-655.

Lechner J, Huesker K, von Baehr V. **Impact of RANTES from Jawbone on Chronic Fatigue Syndrome.** *J Biol Regul Homeost Agents*. 2017 Apr-Jun;31(2):321-327.

7. Noubbissi, S., Scarano, A., & Gupta, S. (2019). A Literature Review Study on Atomic Ions Dissolution of Titanium and Its Alloys in Implant Dentistry. *Materials*, 12(3), 368.

30. Lechner, J., Noubbissi, S., & von Baehr, V. (2018). Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA Journal*, 9(3), 331-343.

8. Qin, X., Li, Q., Chen, W., Bai, Y., Baban, B., & Mao, J. (2019). The circadian expression of osteogenic factors in periodontal tissue loading mechanical force: new concepts of the personalized orthodontic care. *EPMA Journal*, 10(1), 13-20.

37. Lechner, J., Noubbissi, S., & von Baehr, V. (2018). Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA Journal*, 9(3), 331-343.

9. Wang, Y., Qi, H., Miron, R. J., & Zhang, Y. (2019). Modulating macrophage polarization on titanium implant surface by poly (dopamine)-assisted immobilization of IL4. *Clinical implant dentistry and related research*.

Lechner, J., Noubbissi, S., & von Baehr, V. (2018). Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA Journal*, 9(3), 331-343.

10. Krüger, T. B., Herlofson, B. B., Landin, M. A., & Reseland, J. E. (2016). Alendronate alters osteoblast activities. *Acta Odontologica Scandinavica*, 74(7), 550-557.

Lechner J, von Baehr V. Chemokine RANTES/CCL5 as an unknown link between wound healing in the jawbone and systemic disease: is prediction and tailored treatments in the horizon? *EPMA J*. 2015;6:10.

11. Merino, J. J., Cabaña-Muñoz, M. E., Toledano Gasca, A., Garcimartín, A., Benedí, J., Camacho-Alonso, F., & Parmigiani-Izquierdo, J. M. (2019). Elevated Systemic L-Kynurenine/L-Tryptophan Ratio and Increased IL-1 Beta and Chemokine (CX3CL1, MCP-1) Proinflammatory Mediators in Patients with Long-Term Titanium Dental Implants. *Journal of Clinical Medicine*, 8(9), 1368.

48. Lechner, J.; Noubissi, S.; von Baehr, V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* 2018, 9, 331–343.

51. Lechner, J.; von Baehr, V. RANTES and fibroblast growth factor 2 in jawbone cavitations: Triggers for systemic disease? *Int. J. Gen. Med.* 2013, 6, 277–290.

12. Van Cleave C, Crans DC. The First-Row Transition Metals in the Periodic Table of Medicine. *Inorganics* 2019, 7, 111; doi:10.3390/inorganics7090111

51. Lechner, J.; Noubissi, S.; von Baehr, V. Titanium implants and silent inflammation in jawbone—A critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* 2018, 9, 331–343. [CrossRef]

13. Cadenas Martín M, Tirado I, Martín E, Ardura JA, Bravo B, Gortazar AR. Efectos de la estimulación mecánica en la comunicación entre células óseas. *Rev Osteoporos Metab Miner.* 2019;11(1):12-18

Correspondencia: Arancha R. Gortázar (argortazar@ceu.es)

22. Lechner J, von Baehr V. Chemokine RANTES/CCL5 as an unknown link between wound healing in the jaw-bone and systemic disease: is prediction and tailored treatments in the horizon? *EPMA J.* 2015;6(1):10.

14. Borys J, et al. Free Radical Production, Inflammation and Apoptosis in Patients Treated With Titanium Mandibular Fixations—An Observational Study. November 2019. *Frontiers in Immunology* 10:2662. DOI: 10.3389/fimmu.2019.02662

30. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on

15. Lilli NL, Révy D, Robelet S, Lejeune B. Effect of the micro-immunotherapy medicine 2LPARK® on rat primary dopaminergic neurons after 6-OHDA injury: oxidative stress and survival evaluation in an in vitro model of Parkinson's disease. July 2019. DOI: 10.2147/DNND.S202966

15. Thomas G, Cluzel H, Lafon J, Bruhwylér J, Lejeune B. Efficacy of 2LPAPI<sup>®</sup>, a micro-immunotherapy drug, in patients with high-risk papillomavirus genital infection. *AID*. 2016;6(01):7–14. doi:10.4236/aid.2016.61002

16. Floris I, Lechner J, Lejeune B. Follow-up of patients with systemic immunological diseases undergoing fatty-degenerative osteolysis of the jawbone surgery and treated with RANTES 27CH. *J Biol Regul Homeost Agents*. 2018;32(1):37–45.

17. Sauer H, Oertel WH. Progressive degeneration of nigrostriatal dopamine neurons following intrastriatal terminal lesions with 6-hydroxydopamine: a combined retrograde tracing and immunocytochemical study in the rat. *Neuroscience*. 1994;59(2):401–415.

**16. Gürkan, Ali et al.: Cytokine, chemokine, and growth factor levels in peri-implant sulcus during wound healing and osseointegration after piezosurgical versus conventional implant site preparation: Randomized, controlled, split-mouth trial. Journal of Periodontology. Volume: 90. Issue: 6. 2019**

...clasts. *Endocrinol*. 2005;146:2324–2335. 40. Hoff P, Gaber T, Strehl C, et al. activity characterizes the early fracture healing phase in immunologically restr 2017;18:E583. <https://doi.org/10.3390/ijms18030583>

41. Lechner J, von Baehr V. Chemokine RANTES/CCL5 as an unknown link between wound healing in the jawbone and systemic disease: is prediction and tailored treatments in the horizon? *EPMA J*. 2015;6:10. <https://doi.org/10.1186/s13167-015-0032-4>

42. Okamatsu Y, Kim D, Battaglino R, Sasaki H, Späte U, Stashenko P. MIP1 gamma promotes receptor-activator-of-NF-kappa-B- ligand induced osteoclast formation and survival. *J Immunol*. 2004;173:2084–2090.

**17. Alison Barry et al. Plasma IL-8 signature correlates with pain and depressive symptomatology in patients with Burning Mouth Syndrome: results from a pilot study. December 2017. Journal of Oral Pathology and Medicine 47(Suppl 1). DOI: 10.1111/jop.12666**

13. Coelho SC, Bastos-Pereira AL, Fraga D, Chichorro JG, ZampronioAR. Etanercept reduces thermal and mechanical orofacial hyperalgesia following inflammation and neuropathic injury. *Eur J Pain*. 2014;18:957-967.

14. Lechner J, von Baehr V. Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in jawbone cavitation. *Evid Based Complement Alternat Med*. 2015;2015:582520.

15. Liu Y, Ho RC, Mak A. Interleukin (IL)-6, tumour necrosis factor alpha (TNF-alpha) and soluble interleukin-2 receptors (sIL-2R) are elevated in patients with major

depressive disorder: a meta-analysis and meta-regression. *J Affect Disord.* 2012;139:230-239.

18. Peiyao Wu, et al. Possible Mechanisms Involved in the Cooccurrence of Oral Lichen Planus and Hashimoto's Thyroiditis: February 2020; Mediators of Inflammation 2020(2):1-9. DOI: [10.1155/2020/6309238](https://doi.org/10.1155/2020/6309238)

[57] P. Fallahi, S. M. Ferrari, G. Elia et al., "Novel therapies for thyroid autoimmune diseases," *Expert Review of Clinical Pharmacology*, vol. 9, no. 6, pp. 853–861, 2016.

[58] J. Lechner, T. Rudi, and V. von Baehr, "Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis," *Clinical, Cosmetic and Investigational Dentistry*, vol. Volume 10, pp. 251–262, 2018.

[59] M. R. Roopashree, R. V. Gondhalekar, M. C. Shashikanth, J. George, S. H. Thippeswamy, and A. Shukla, "Pathogenesis of oral lichen planus-a review," *Journal of Oral Pathology & Medicine*, vol. 39, no. 10, pp. 729–734, 2010.

19. Li Z, Zhu X, Xu R, Wang Y, Hu R and Xu W (2019) Deacylcynaropicrin Inhibits RANKL-Induced Osteoclastogenesis by Inhibiting NF-κB and MAPK and Promoting M2 Polarization of Macrophages *Front. Pharmacol.* 10:599.doi: 10.3389/fphar.2019.00599

Kimura, K., Kitaura, H., Fujii, T., Hakami, Z. W., and Takano-Yamamoto, T. (2012). Anti-c-Fms antibody inhibits lipopolysaccharide-induced osteoclastogenesis *in vivo*. *FEMS Immunol. Med. Microbiol.* 64 (2), 219– 227. doi: 10.1111/j.1574-695X.2011.00888.x

Lechner, J., Rudi, T., and von Baehr, V. (2018). Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin. Cosmet. Investig. Dent.* 10, 251–262. doi:10.2147/CCIDE.S184498

Lin, T.H., Yao, Z., Sato, T., Keeney, M., Li, C., Pajarinen, J., et al. (2014). Suppression of wear-particle-induced pro-inflammatory cytokine and chemokine production in macrophages *via* NF-κB decoy oligodeoxynucleotide: a preliminary report. *Acta Biomater.* 10 (8), 3747–3755. doi: 10.1016/j.actbio.2014.04.034

20. Cadenas Martin M, Tirado I, Martin E, Ardura JA, Bravo B, Gortazar AR. Effects of mechanical stimulation on communication between bone cells. *Rev Osteoporos Metab Miner.* 2019;11(1):12-18. DOI: <http://dx.doi.org/10.4321/S1889-836X2019000100003>

21. Ryan CM, Brown JA, Bourke E, Prendergast AM, Kavanagh C, Liu Z, et al. ROCK activity and the Gβγ complex mediate chemotactic migration of mouse bone marrow-derived stromal cells. *Stem Cell Res Ther.* 2015;6:136.

22. Lechner J, von Baehr V. Chemokine RANTES/CCL5 as an unknown link between wound healing in the jawbone and systemic disease: is prediction and tailored treatments in the horizon? *EPMA J.* 2015;6(1):10.

22. Lu L, Zhang X, Zhang M, Zhang H, Liao L, Yang T, et al. RANTES and SDF-1 Are Keys in Cell-based Therapy of TMJ Osteoarthritis. *J Dent Res*. 2015;94(11):1601-9.

**23. Pereira S, et al. Recent advances in the understanding of the aetiology and therapeutic strategies in burning mouth syndrome: Focus on the actions of cannabinoids. Feb 2020 · European Journal of Neuroscience. <https://doi.org/10.1111/ejn.14712>**

▣ Lamey, P. J., Freeman, R., Eddie, S. A., Pankhurst, C., & Rees, T. (2005). Vulnerability and presenting symptoms in burning mouth syndrome. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 99, 48– 54.

[Crossref](#) [PubMed](#) [Web of Science](#) [Google Scholar](#)

▣ Lechner, J., & von Baehr, V. (2015). Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in Jawbone Cavitation. *Evidence-Based Complementary and Alternative Medicine*, 2015, 582520.

[Crossref](#) [PubMed](#) [Google Scholar](#)

▣ Lee, Y. C., Hong, I. K., Na, S. Y., & Eun, Y. G. (2015). Evaluation of salivary function in patients with burning mouth syndrome. *Oral Diseases*, 21, 308– 313.

[Wiley Online Library](#) [CAS](#) [PubMed](#) [Web of Science](#) [Google Scholar](#)

**24. Peiyao Wu et al. Possible Mechanisms Involved in the Cooccurrence of Oral Lichen Planus and Hashimoto’s Thyroiditis. February 2020; Mediators of Inflammation 2020(2):1-9. DOI: [10.1155/2020/6309238](https://doi.org/10.1155/2020/6309238)**

[57] P. Fallahi, S. M. Ferrari, G. Elia et al., “Novel therapies for thy-roid autoimmune diseases,” *Expert Review of Clinical Phar-macology*, vol. 9, no. 6, pp. 853–861, 2016.

[58] J. Lechner, T. Rudi, and V. von Baehr, “Osteoimmunology oftumor necrosis factor-alpha, IL-6, and RANTES/CCL5: areview of known and poorly understood inflammatory pat-terns in osteonecrosis,” *Clinical, Cosmetic and InvestigationalDentistry*, vol. Volume 10, pp. 251–262, 2018.

[59] M. R. Roopashree, R. V. Gondhalekar, M. C. Shashikanth, J. George, S. H. Thippeswamy, and A. Shukla, “Pathogenesisof oral lichen planus-a review,” *Journal of Oral Pathology &Medicine*, vol. 39, no. 10, pp. 729–734, 2010.

**25. Moalem-Taylor G, Baharuddin B, Bennett B, et al. Immune dysregulation in patients with carpal tunnel syndrome. *Sci Rep*. 2017;7(1):8218. Published 2017 Aug 15. doi:10.1038/s41598-017-08123-6**

57. White FA, Jung H, Miller RJ. Chemokines and the pathophysiology of neuropathic pain. *Proc Natl Acad Sci USA*. 2007;104:20151–20158. doi: 10.1073/pnas.0709250104. - [DOI](#) - [PMC](#) - [PubMed](#)

58. Lechner J, von Baehr V. Peripheral Neuropathic Facial/Trigeminal Pain and RANTES/CCL5 in Jawbone Cavitation. *Evid Based Complement Alternat Med*. 2015;2015:582520. doi: 10.1155/2015/582520. - [DOI](#) - [PMC](#) - [PubMed](#)

59. Liou JT, et al. Peritoneal administration of Met-RANTES attenuates inflammatory and nociceptive responses in a murine neuropathic pain model. *J Pain*. 2013;14:24–35. doi: 10.1016/j.jpain.2012.09.015. - [DOI](#) - [PubMed](#)

**26. Sammy Noubissi S, Scarano A, Gupta S. A Literature Review Study on Atomic Ions Dissolution of Titanium and Its Alloys in Implant Dentistry. *Materials* 2019, 12, 368; doi:[10.3390/ma12030368](#)**

29. Fretwurst, T.; Nelson, K.; Tarnow, D.P.; Wang, H.-L.; Giannobile, W.V. Is Metal Particle Release Associated with Peri-implant Bone Destruction? An Emerging Concept. *J. Dent. Res.* **2018**. [[CrossRef](#)] [[PubMed](#)]

30. Lechner, J.; Noubissi, S.; von Baehr, V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* **2018**, *9*, 331–343. [[CrossRef](#)]

31. Safioti, L.M.; Kotsakis, G.A.; Pozhitkov, A.E.; Chung, W.O.; Daubert, D.M. Increased Levels of Dissolved Titanium Are Associated With Peri-Implantitis—A Cross-Sectional Study. *J. Periodontol.* **2017**, *88*, 436–442. [[CrossRef](#)]

**27. Schäfer E, Appel C. Relevance of mercaptans/ thio ethers regulations in therapy decisions in endodontics Scientific Notification of the German Society of Endodontology and Dental Traumatology. DOI: [10.3238/dzz-int.2020.0050-0051](#)**

2. Jacobi-Gresser E, Schütt S, Huesker K, von Baehr V: Methyl mercaptan and hydrogen sulfide products stimulate proinflammatory cytokines in patients with necrotic pulp tissue and endodontically treated teeth. *J Biol Regul Homeost Agents* 2015; 29: 73–843.

3. Lechner J, von Baehr V: Stimulation of proinflammatory cytokines by volatile sulfur compounds in endodontically treated teeth. *Int J Gen Dent* 2015; 29: 73–844.

4. Suzuki N et al.: Detection of Helicobacter pylori DNA in the saliva of patients complaining of halitosis. *J Med Microbiol* 2008; 57: 1553–1559. Walshe JM: Foetor hepaticus. *Lancet* 1994; 343: 7306.

**28. Gorgieva S. Bacterial Cellulose as a Versatile Platform for Research and Development of Biomedical Materials. *Processes* 2020, 8, 624; doi:[10.3390/pr8050624](#)**

103. Lechner, J.; Noubissi, S.; von Baehr, V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* **2018**, *9*, 331–343. [[CrossRef](#)]

104. Abeer, M.M.; Mohd Amin, M.C.I.; Martin, C. A review of bacterial cellulose-based drug delivery systems: Their biochemistry, current approaches and future prospects. *J. Pharm. Pharmacol.* **2014**, *66*, 1047–1061. [[CrossRef](#)]

**29. Yuzhi Yao Y, Bowen C, Li Sh. Relationship of Inflammation with Trigeminal Neuralgia: A Cohort Study. October 2019. Journal of Craniofacial Surgery 31(2):.DOI: 10.1097/SCS.0000000000005879**

6. Coelho SC, Bastos-Pereira AL, Fraga D, et al. Etanercept reduces thermal and mechanical orofacial hyperalgesia following inflammation and neuropathic injury. *Eur J Pain* 2014;18:957–9677.

7. Johann Lechner, Volker von Baehr. Peripheral Neuropathic Facial/Trigeminal Pain and RANTES/CCL5 in Jawbone Cavitation. *Evid Based Complement Alternat Med* 2015;2015:5825208.

8. Shi-hao Zheng, Jin-lan Huang, Ming Chen, et al. Diagnostic value of preoperative inflammatory markers in patients with glioma: a multicenter cohort study. *J Neurosurg* 2018;129:583–592.

**30. Xingchen Ye et al. A correlative studies between osteoporosis and blood cell composition: Implications for auxiliary diagnosis of osteoporosis. June 2020. Medicine 99(26):e20864. DOI: 10.1097/MD.00000000000020864.**

[14] Kwon OC, Kim S, Hong S, et al. Role of IL-32 gamma on bone metabolism in autoimmune arthritis. *Immune Netw* 2018;18:e20.

[15] Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor- $\alpha$ , IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Invest Dent* 2018;10:251–62.

[16] Niu X, Chen Y, Qi L, et al. Hypoxia regulates angiogenic-osteogenic coupling process via up-regulating IL-6 and IL-8 in human osteoblastic cells through hypoxia-inducible factor-1 (pathway). *Cytokine* 2019;113:117–27.[

**31. Wen Lin Chai, Masfueh Razali, Keyvan Moharamzadeh, Muhammad Sohail Zafar, 10 - The hard and soft tissue interfaces with dental implants, Editor(s): Muhammad Sohail Zafar, Zohaib Khurshid, Abdul Samad Khan, Shariq Najeeb, Farshid Sefat, In Woodhead Publishing Series in Biomaterials, Dental Implants, Woodhead Publishing, 2020, Pages 173-201, ISBN 9780128195864, <https://doi.org/10.1016/B978-0-12-819586-4.00010-X>.**

T. Koutouzis, S. Walle, N. Calderon, T. Lundgren. **Bacterial colonization of the implant–abutment interface using an in vitro dynamic loading model** *J. Periodontol.*, 82 (4) (2011), pp. 613-618



[CrossRefView Record in ScopusGoogle Scholar](#)

J. Lechner, S. Noubissi, V. von Baehr. **Titanium implants and silent inflammation in jawbone - a critical interplay of dissolved titanium particles and cytokines TNF-alpha and RANTES/CCL5 on overall health? EPMA J.**, 9 (3) (2018), pp. 331-343. [CrossRefView Record in ScopusGoogle Scholar](#)

[Lee et al., 2015](#)

C.T. Lee, S.K. Chuang, J. Stoupe**Survival analysis and other clinical outcomes of immediate implant placement in sites with periapical lesions: systematic review**

Int. J. Oral Maxillofac Implants, 30 (2) (2015), pp. 268-278

[CrossRefView Record in ScopusGoogle Scholar](#)

**32. Lilli NL, Révy D, Robelet S, Lejeune B. Effect of the micro-immunotherapy medicine 2LPARK<sup>®</sup> on rat primary dopaminergic neurons after 6-OHDA injury: oxidative stress and survival evaluation in an in vitro model of Parkinson's disease. *Degener Neurol Neuromuscul Dis.* 2019;9:79-88. Published 2019 Jul 8. doi:10.2147/DNND.S202966**

15. Thomas G, Cluzel H, Lafon J, Bruhwylter J, Lejeune B. Efficacy of 2LPAPI<sup>®</sup>, a micro-immunotherapy drug, in patients with high-risk papillomavirus genital infection. *AID.* 2016;6(01):7–14. doi:10.4236/aid.2016.61002 [[CrossRef](#)] [[Google Scholar](#)]

16. Floris I, Lechner J, Lejeune B. Follow-up of patients with systemic immunological diseases undergoing fatty-degenerative osteolysis of the jawbone surgery and treated with RANTES 27CH. *J Biol Regul Homeost Agents.* 2018;32(1):37–45. [[PubMed](#)] [[Google Scholar](#)]

17. Sauer H, Oertel WH. Progressive degeneration of nigrostriatal dopamine neurons following intrastriatal terminal lesions with 6-hydroxydopamine: a combined retrograde tracing and immunocytochemical study in the rat. *Neuroscience.* 1994;59(2):401–415. [[PubMed](#)] [[Google Scholar](#)]

**33. Peiyao Wu et al. Possible Mechanisms Involved in the Cooccurrence of Oral Lichen Planus and Hashimoto's Thyroiditis, February 2020; Mediators of Inflammation 2020(2):1-9. DOI: [10.1155/2020/6309238](#)**

.. Several current ongoing studies are focused on exploring innovative HT therapies by developing and evaluating new molecules that can antagonize CXCR3 or block CXCL10 [57].

[58] J. Lechner, T. Rudi, and V. von Baehr, "Osteoimmunology oftumor necrosis factor-alpha, IL-6, and RANTES/CCL5: areview of known and poorly understood inflammatory pat-terns in osteonecrosis," *Clinical, Cosmetic and InvestigationalDentistry*, vol. Volume 10, pp. 251–262, 2018.

**34. Pérez EA, et al. Epigenetic Components of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Uncover Potential Transposable Element Activation. April 2019. Clinical Therapeutics 41(4):675-698. DOI: [10.1016/j.clinthera.2019.02.012](https://doi.org/10.1016/j.clinthera.2019.02.012)**

- 124. Mastrangelo F, Frydas I, Ronconi G, et al. Low-grade chronic inflammation mediated by mast cells in fibromyalgia: role of IL-37. *J Biol Regul Homeost Agents*. 2018 Mar-Apr; 32: 195-198
- 
- **125. Lechner J, Huesker K, Von Baehr V. Impact of rantes from jawbone on chronic fatigue syndrome. *J Biol Regul Homeost Agents*. 2017 Apr-Jun; 31: 321-327.**
- 
- 126. Mayer J, Harz C, Sanchez L, et al. Transcriptional profiling of HERV-K(HML-2) in amyotrophic lateral sclerosis and potential implications for expression of HML-2 proteins. *Mol Neurodegener*. 2018 Aug 2; 13: 39 <https://doi.org/10.1186/s13024-018-0275-3>

**35. Meng, B, Wu, D, Cheng, Y, et al. Interleukin-20 differentially regulates bone mesenchymal stem cell activities in RANKL-induced osteoclastogenesis through the OPG/RANKL/RANK axis and the NF- $\kappa$ B, MAPK and AKT signalling pathways. *Scand J Immunol*. 2020; 91:e12874. <https://doi.org/10.1111/sji.12874>**

45. Danks L, Komatsu N, Guerrini MM, et al. RANKL expressed on synovial fibroblasts is primarily responsible for bone erosions during joint inflammation. *Annals of the rheumatic diseases* 2016; 75(6): 1187-95.

**46. Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent* 2018; 10: 251-62.**

47. Mansky KC, Sankar U, Han J, Ostrowski MC. Microphthalmia transcription factor is a target of the p38 MAPK pathway in response to receptor activator of NF-kappa B ligand signaling. *J Biol Chem* 2002; 277(13): 11077-83.

**36. Xingchen Ye et al. A correlative studies between osteoporosis and blood cell composition: Implications for auxiliary diagnosis of osteoporosis. June 2020; *Medicine* 99(26):e20864. DOI: [10.1097/MD.0000000000020864](https://doi.org/10.1097/MD.0000000000020864)**

14] Kwon OC, Kim S, Hong S, et al. Role of IL-32 gamma on bone metabolism in autoimmune arthritis. *Immune Netw* 2018;18:e20.

**15] Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood**

inflammatory patterns in osteonecrosis. *Clin Cosmet InvestigDent* 2018;10:251–62.

[16] Niu X, Chen Y, Qi L, et al. Hypoxia regulates angiogenic-osteogenic coupling process via up-regulating IL-6 and IL-8 in human osteoblastic cells through hypoxia-inducible factor-1 (pathway). *Cytokine* 2019;113:117–27.

**37. Sónia Pereira et al. Recent advances in the understanding of the aetiology and therapeutic strategies in burning mouth syndrome: Focus on the actions of cannabinoids. February 2020. European Journal of Neuroscience. DOI: 10.1111/ejn.14712**

94. Lamey, P. J., Freeman, R., Eddie, S. A., Pankhurst, C., & Rees, T. (2005). Vulnerability and presenting symptoms in burning mouth syndrome. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 99, 48-54.

95. Lechner, J., & von Baehr, V. (2015). Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in Jawbone Cavitation. *Evidence-Based Complementary and Alternative Medicine*, 2015, 582520.

96. Lee, Y. C., Hong, I. K., Na, S. Y., & Eun, Y. G. (2015). Evaluation of salivary function in patients with burning mouth syndrome. *Oral Diseases*, 21, 308-313.

**38. Relevance of mercaptans/ thioethers regulations in therapy decisions in endodontics - Scientific Notification of the German Society of Endodontology and Dental Traumatology. Article · March 2020. DOI: 10.3238/dzz-int.2020.0050-0051**

1. Hülsmann M: Die Theorie der Fokal- infektion reloaded. *Endodontie* 2019; 28: 315–327

2. Jacobi-Gresser E, Schütt S, Huesker K, von Baehr V: Methyl mercaptan and hydrogen sulfide products stimulate proinflammatory cytokines in patients with necrotic pulp tissue and endodontically treated teeth. *J Biol Regul Homeost Agents* 2015; 29: 73–84

3. Lechner J, von Baehr V: Stimulation of proinflammatory cytokines by volatile sulfur compounds in endodontically treated teeth. *Int J Gen Dent* 2015; 29: 73–84

4. Suzuki N et al.: Detection of Helicobacter pylori DNA in the saliva of patients complaining of halitosis. *J Med Microbiol* 2008; 57: 1553–1559

**39. Daltro PB, et al. CD4+T Cell Profile and Activation Response in Sickle Cell Disease Patients with Osteonecrosis. Mediators of Inflammation** Volume 2020, Article ID 1747894, 12 pages <https://doi.org/10.1155/2020/1747894>

. Ma, J. Ge, F. Gao et al., "The role of immune regulatory cells in nontraumatic osteonecrosis of the femoral head: a retrospective clinical study," *BioMed Research International*, vol. 2019, Article ID 1302015, 7 pages, 2019.

[15] J. Lechner, S. Schuett, and V. von Baehr, "Aseptic-avascular osteonecrosis: local 'silent inflammation' in the jawbone and RANTES/CCL5 overexpression," *Clinical, Cosmetic and Investigational Dentistry*, vol. 9, pp. 99–109, 2017.

[16] J. Ma, W. Guo, Z. Li, B. Wang, S. Li, and P. Wang, "Hip osteonecrosis is associated with increased plasma IL-33 level," *Mediators of Inflammation*, vol. 2017, Article ID 1732638, 6 pages, 2017.

**40. Ali, Sadaqat et al.: Biocompatibility and corrosion resistance of metallic biomaterials. Corrosion Reviews. Volume: 38. Issue: 5. 2020. DOI: <https://doi.org/10.1515/corrrev-2020-0001>**

Langard, S. (1990). One hundred years of chromium and cancer: a review of epidemiological evidence and selected case reports. *Am. J. Ind. Med.* 17: 189–214, <https://doi.org/10.1002/ajim.4700170205>.

- Lechner, J., Noubissi, S., and von Baehr, V. (2018). Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA J.* 9: 331–343, <https://doi.org/10.1007/s13167-018-0138-6>.

Lemons, J.E., Misch-Dietsh, F., and McCracken, M.S. (2015). Biomaterials for dental implants. In *Dental implant prosthetics*: Elsevier Inc, pp. 66–94.

**41. Floris I, et al. Pro-Inflammatory Cytokines at Ultra-Low Dose Exert Anti-Inflammatory Effect In Vitro: A Possible Mode of Action Involving Sub-Micron Particles? October 2020; Dose-Response 18(Oct-December):1-11. DOI: [10.1177/1559325820961723](https://doi.org/10.1177/1559325820961723)**

Thomas G, Cluzel H, Lafon J, Bruhwylter J, Lejeune B. Efficacy of 2LPAPI<sup>®</sup>, a micro-immunotherapy drug, in patients with high-risk papillomavirus genital infection. *Adv Infect Dis.* 2016;6(1):7-14.

13. Floris I, Lechner J, Lejeune B. Follow-up of patients with systemic immunological diseases undergoing fatty-degenerative osteolysis of the jawbone surgery and treated with RANTES27CH. *J Biol Regul Homeost Agents.* 2018;32(1):37-45.

14. Calabrese EJ. Hormetic dose-response relationships in immunology: occurrence, quantitative features of the dose response, mechanistic foundations, and clinical implications.

**42. Aleksandra Janas, Ewa Kruczek, Piotr Londzin, Sławomir Borymski, Zenon P. Czuba, Joanna Folwarczna, "Negligible Effect of Estrogen Deficiency on Development of Skeletal Changes Induced by Type 1 Diabetes in Experimental Rat Models", *Mediators of Inflammation*, vol. 2020, Article ID 2793804, 21 pages, 2020. <https://doi.org/10.1155/2020/2793804>**

59. S. Yano, R. Mentaverri, D. Kanuparthi et al., "Functional expression of  $\beta$ -chemokine receptors in osteoblasts: role of regulated upon activation, normal T cell expressed and secreted (RANTES) in osteoblasts and regulation of its secretion by osteoblasts and osteoclasts," *Endocrinology*, vol. 146, no. 5, pp. 2324–2335, 2005. View at: [Publisher Site](#) | [Google Scholar](#)

60. J. Lechner, T. Rudi, and V. von Baehr, "Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis," *Clinical, Cosmetic and Investigational Dentistry*, vol. 10, pp. 251–262, 2018. View at: [Publisher Site](#) | [Google Scholar](#)

61. O. M. Koper-Lenkiewicz, J. Kamińska, A. Lisowska, A. Milewska, T. Hirnle, and V. Dymicka-Piekarska, "Factors associated with RANTES concentration in cardiovascular disease patients," *BioMed Research International*, vol. 2019, Article ID 3026453, 11 pages, 2019. View at: [Publisher Site](#) | [Google Scholar](#)

**43. Carluccio M, et al. .Adult mesenchymal stem cells: is there a role for purine receptors in their osteogenic differentiation? *Purinergic Signalling* 16(9), September 2020. DOI: 10.1007/s11302-020-09703-4.**

Ganguly P, El-Jawhari JJ, Giannoudis PV et al (2017) Age-related changes in bone marrow mesenchymal stromal cells: a potential impact on osteoporosis and osteoarthritis development. *Cell Transplant* 26(9):1520–1529. <https://doi.org/10.1177/0963689717721201>

3. Lechner J, Aschoff J, Rudi T (2018) The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: an interface between osteoimmunology and bone metabolism. *Int J Gen Med* 11:155–166. <https://doi.org/10.2147/IJGMS152873>

4. Amini AR, Laurencin CT, Nukavarapu SP (2012) Bone tissue engineering: recent advances and challenges. *Crit Rev Biomed Eng* 40:363–408

**44. Zhao, Qing et al. Human Periodontal Ligament Stem Cells Transplanted with Nanohydroxyapatite/chitosan/gelatin 3D Porous Scaffolds Promote Jaw Bone Regeneration in Swine. *Stem Cells and Development*. 27 Apr 2021 <https://doi.org/10.1089/scd.2020.0204>.**

65. Maruyama Z, CA Yoshida, T Furuichi, N Amizuka, M Ito, R Fukuyama, T Miyazaki, H Kitaura, K Nakamura, et al. (2007). Runx2 determines bone

maturity and turnover rate in postnatal bone development and is involved in bone loss in estrogen deficiency. *Dev Dyn* 236:1876–1890.

66. Lechner J, T Schulz and V von Baehr. (2019). Immunohistological staining of unknown chemokine RANTES/CCL5 expression in jawbone marrow defects osteoimmunology and disruption of bone remodeling in clinical case studies targeting on predictive preventive personalized medicine. *EPMA J* 10:351–364.

67. Tosa I, D Yamada, M Yasumatsu, E Hinoi, M Ono, T Oohashi, T Kuboki and T Takarada. (2019). Postnatal Runx2 deletion leads to low bone mass and adipocyte accumulation in mice bone tissues. *Biochem Biophys Res Commun* 516:1229–1233. 68. Jiang Y, BN Jahagirdar, RL Reinhardt

**45. Sekundo, C, Wiltfang, J, Schliephake, H, et al. Neuralgia-inducing cavitation osteonecrosis – A systematic review. *Oral Dis.* 2021; 00: 1–20. <https://doi.org/10.1111/odi.13886>**

- 
- Lechner, J. (2014). Validation of dental X-ray by cytokine RANTES - comparison of X-ray findings with cytokine overexpression in jawbone. *Clinical Cosmetic & Investigational Dentistry*, 6, 71– 79.
  - Lechner, J., Aschoff, J., & Rudi, T. (2018). The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: An interface between osteoimmunology and bone metabolism. *International Journal of General Medicine*, 11, 155– 166.
  - Lechner, J., Huesker, K., & von Baehr, V. (2017). Impact of rantes from jawbone on chronic fatigue syndrome. *Journal of Biological Regulators & Homeostatic Agents*, 31, 321– 327.
  - Lechner, J., & Mayer, W. (2010). Immune messengers in Neuralgia Inducing Cavitation Osteonecrosis (NICO) in jaw bone and systemic interference. *European Journal of Integrative Medicine*, 2, 71– 77. <https://doi.org/10.1016/j.eujim.2010.03.004>
  - Lechner, J., Noubissi, S., & von Baehr, V. (2018). Titanium implants and silent inflammation in jawbone-a critical interplay of dissolved titanium particles and cytokines TNF-alpha and RANTES/CCL5 on overall health? *The EPMA Journal*, 9, 331– 343.
  - Lechner, J., Schuett, S., & von Baehr, V. (2017). Aseptic-avascular osteonecrosis: Local "silent inflammation" in the jawbone and RANTES/CCL5 overexpression. *Clinical, Cosmetic and Investigational Dentistry*, 9, 99– 109.
  - Lechner, J., Schulz, T., & von Baehr, V. (2019). IMMUNohistological staining of unknown chemokine RANTES/CCL5 expression in jawbone marrow defects- osteoimmunology and disruption of bone remodeling in clinical case studies targeting on predictive preventive personalized medicine. *EPMA Journal*, 10, 351– 364. <https://doi.org/10.1007/s13167-019-00182-1>

- 
- Lechner, J., & von Baehr, V. (2013). RANTES and fibroblast growth factor 2 in jawbone cavitations: Triggers for systemic disease? *International Journal of General Medicine*, *6*, 277– 290. <https://doi.org/10.2147/IJGM.S43852>
  - Lechner, J., & von Baehr, V. (2014). Hyperactivated signaling pathways of chemokine RANTES/CCL5 in osteopathies of jawbone in breast cancer patients-case report and research. *Breast Cancer*, *8*, 89– 96. <https://doi.org/10.4137/BCBCR.S15119>
  - Lechner, J., & von Baehr, V. (2015a). Chemokine RANTES/CCL5 as an unknown link between wound healing in the jawbone and systemic disease: Is prediction and tailored treatments in the horizon? *The EPMA Journal*, *6*, 10. <https://doi.org/10.1186/s13167-015-0032-4>
  - Lechner, J., & von Baehr, V. (2015b). Peripheral Neuropathic Facial/Trigeminal Pain and RANTES/CCL5 in Jawbone Cavitation. *Evidence-Based Complementary & Alternative Medicine: Ecam*, *2015*, 582520. <https://doi.org/10.1155/2015/582520>
  - Lechner, J., Zimmermann, B., Schmidt, M., & von Baehr, V. (2020). ULTRASound sonography to detect focal osteoporotic jawbone marrow defects clinical comparative study with corresponding hounsfield units and RANTES/CCL5 expression. *Clinical, Cosmetic and Investigational Dentistry*, *12*, 205– 216.

**46. Jain P, Jain M, Gaikwad RN, Doshi JR, Fulzele P. Role of inflammation and inflammatory biomarkers in dental implant procedures: A comprehensive review. J Datta Meghe Inst Med Sci Univ 2020;15:715-8**

19. Townsend M, McKenzie A. Unravelling the net? Cytokines and diseases. *Journal of Cell Science*. The Company of Biologists Ltd 2000;113:3549-50. Available from: <https://jcs.biologists.org/content/joces/113/20/3549.2.full.pdf>. [Last accessed on 2020 Aug 18].

20. Lechner J, von Baehr V. RANTES and fibroblast growth factor 2 in jawbone cavitations: Triggers for systemic disease? *Int J Gen Med* 2013;6:277-90.

21. Lechner J, von Baehr V. Hyperactivated signaling pathways of chemokine RANTES/CCL5 in osteopathies of jawbone in breast cancer patients-case report and research. *Breast Cancer (Auckl)* 2014;8:89-96.

22. Olmedo D, Fernández MM, Guglielmotti MB, Cabrini RL. Macrophages related to dental implant failure. *Implant Dent* 2003;12:75-80.

**47. Qing Zhao et al. Human Periodontal Ligament Stem Cells Transplanted with Nanohydroxyapatite/Chitosan/Gelatin 3D Porous Scaffolds Promote Jaw Bone Regeneration in Swine. STEM CELLS AND DEVELOPMENT Volume 30, Number 10, 2021 Mary Ann Liebert, Inc. DOI: 10.1089/scd.2020.0204.**

65. Maruyama Z, CA Yoshida, T Furuichi, N Amizuka, M Ito, R Fukuyama, T Miyazaki, H Kitaura, K Nakamura, et al. (2007). Runx2 determines bone maturity and turnover rate in postnatal bone development and is involved in bone loss in estrogen deficiency. *Dev Dyn* 236:1876– 1890.

66. Lechner J, T Schulz and V von Baehr. (2019). Immunohistological staining of unknown chemokine RANTES/CCL5 expression in jawbone marrow defectsosteimmunology and disruption of bone remodeling in clinical case studies targeting on predictive preventive personalized medicine. *EPMA J* 10:351–364.

67. Tosa I, D Yamada, M Yasumatsu, E Hinoi, M Ono, T Oohashi, T Kuboki and T Takarada. (2019). Postnatal Runx2 deletion leads to low bone mass and adipocyte accumulation in mice bone tissues. *Biochem Biophys Res Commun* 516:1229–1233.

**48. Patil, S.; Testarelli, L. Assessment of Growth Factors, Cytokines, and Cellular Markers in Saliva of Patients with Trigeminal Neuralgia. *Molecules* 2021, 26, 2964.**

<https://doi.org/10.3390/>

20. Cruccu, G.; Finnerup, N.B.; Jensen, T.S.; Scholz, J.; Sindou, M.; Svensson, P.; Treede, R.-D.; Zakrzewska, J.M.; Nurmikko, T. Trigeminal neuralgia. *Neurology* 2016, 87, 220–228. [CrossRef]

21. Lechner, J.; von Baehr, V. Peripheral Neuropathic Facial/Trigeminal Pain and RANTES/CCL5 in Jawbone Cavitation. *Evid.-Based Complement. Altern. Med.* 2015, 2015, 1–9. [CrossRef]

i. Yin, Y.; Guo, R.; Shao, Y.; Ge, M.; Miao, C.; Cao, L.; Yang, Y.; Hu, L. Pretreatment with resveratrol ameliorate trigeminal neuralgia by suppressing matrix metalloproteinase-9/2 in trigeminal ganglion. *Int. Immunopharmacol.* 2019, 72, 339–347. [CrossRef]

**49. Taichi Ishikawa et al. Titanium nanoparticles potentially affect gingival tissue through IL-13 $\alpha$ 2 receptor expression. <https://doi.org/10.2334/josnusd.21-0130>**

19. Olmedo DG, Nalli G, Verdú S, Paparella ML, Cabrini RL (2013) Exfoliative cytology and titanium dental implants: a pilot study. *J Periodontol* 84, 78-83.

20. Lechner J, Noubissi S, von Baehr V (2018) Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J* 9, 331-343.

21. Goto Y, Ibi M, Sato H, Tanaka J, Yasuhara R, Aota K et al. (2020) PLAG1 enhances the stemness profiles of acinar cells in normal human salivary glands in a cell type-specific manner. *J Oral Biosci* 62, 99-106.

**50. Yan Li et al. Salicylic acid-based nanomedicine with self-immunomodulatory activity facilitates microRNA therapy for metabolic skeletal disorders, *Acta Biomaterialia*, 2021,**



**51. Janes, A et al. Article Negligible Effect of Estrogen Deficiency on Development of Skeletal Changes Induced by Type 1 Diabetes in Experimental Rat Models. Mediators of Inflammation Volume 2020, Article ID 2793804, 21 pages <https://doi.org/10.1155/2020/2793804>**

[59] S. Yano, R. Mentaverri, D. Kanuparthi et al., "Functional expression of  $\beta$ -chemokine receptors in osteoblasts: role of regulated upon activation, normal T cell expressed and secreted (RANTES) in osteoblasts and regulation of its secretion by osteoblasts and osteoclasts," *Endocrinology*, vol. 146, no. 5, pp. 2324–2335, 2005.

[60] J. Lechner, T. Rudi, and V. von Baehr, "Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis," *Clinical, Cosmetic and Investigational Dentistry*, vol. 10, pp. 251–262, 2018. **20 Mediators of Inflammation Page 21**

[61] O. M. Koper-Lenkiewicz, J. Kamińska, A. Lisowska, A. Milewska, T. Hirnle, and V. Dymicka-Piekarska, "Factors associated with RANTES concentration in cardiovascular disease patients," *BioMed Research International*, vol. 2019, Article ID 3026453, 11 pages, 2019.

**52. Jacques C, Floris I, Lejeune B. Ultra-Low Dose Cytokines in Rheumatoid Arthritis, Three Birds with One Stone as the Rationale of the 2LPARTH® Micro-Immunotherapy Treatment. June 2021; International Journal of Molecular Sciences 22(13):6717. DOI: [10.3390/ijms22136717](https://doi.org/10.3390/ijms22136717)**

85. Thomas, G.; Cluzel, H.; Lafon, J.; Bruhwiler, J.; Lejeune, B. Efficacy of 2LPARTH®, a micro-immunotherapy drug, in patients with high-risk papillomavirus genital infection. *Adv. Infect. Dis.* 2016, 06, 7–14. [CrossRef]

86. Floris, I.; Lechner, J.; Lejeune, B. Follow-up of patients with systemic immunological diseases undergoing fatty-degenerative osteolysis of the jawbone surgery and treated with RANTES 27CH. *J. Biol. Regul. Homeost. Agents* 2018, 32, 37–45. Available online: <https://www.biolifegas.org/biolife/2018/10/03/follow-up-of-patients-with-systemic-immunological-diseases-undergoing-fatty-degenerative-osteolysis-of-the-jawbone-surgery-and-treated-with-rantes-27ch/> (accessed on 3 March 2021).

87. Martin-Martin, L.; Giovannangeli, F.; Bizzi, E.; Massafra, U.; Ballanti, E.; Cassol, M.; Migliore, A. An open randomized active-controlled clinical trial with low-dose SKA cytokines versus DMARDs evaluating low disease activity maintenance in patients with rheumatoid arthritis. *Drug Des. Dev. Ther.* 2017, 11, 985–994. [CrossRef]

**53. Solis-Castro OO, Wong N and Boissonade FM (2021) Chemokines and Pain in the Trigeminal System. *Front. Pain Res.* 2:689314. doi: [10.3389/fpain.2021.689314](https://doi.org/10.3389/fpain.2021.689314)**

45. Duarte H, Teixeira AL, Rocha NP, Domingues RB. Increased interictal serum levels of CXCL8/IL-8 and CCL3/MIP-1 $\alpha$  in migraine. *Neurol Sci.* (2015) 36:203–8. doi: [10.1007/s10072-014-1931-1](https://doi.org/10.1007/s10072-014-1931-1)

46. Lechner J, Schmidt M, von Baehr V, Schick F. Undetected jawbone marrow defects as inflammatory and degenerative signaling pathways: chemokine RANTES/CCL5 as a possible link between the jawbone and systemic interactions? *J Inflamm Res.* (2021) 14:1603–12. doi: 10.2147/JIR.S307635
47. Lechner J, von Baehr V. Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in jawbone cavitation. *Evid Based Complement Alternat Med.* (2015) 2015:582520. doi: 10.1155/2015/582520
48. Fidan I, Yüksel S, Ýmir T, Irkeç C, Aksakal FN. The importance of cytokines, chemokines and nitric oxide in pathophysiology of migraine. *J Neuroimmunol.* (2006) 171:184–8. doi: 10.1016/j.jneuroim.2005.10.005

**54. Dondossola, E., Friedl, P. Host responses to implants revealed by intravital microscopy. *Nat Rev Mater* (2021). <https://doi.org/10.1038/s41578-021-00369-x>**

100. Perino, G. et al. Diagnostic guidelines for the histological particle algorithm in the periprosthetic neo-synovial tissue. *BMC Clin. Pathol.* **18**, 7 (2018).

101. Lechner, J., Noubissi, S. & von Baehr, V. Titanium implants and silent inflammation in jawbone — a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* **9**, 331–343 (2018).

102. Khosravi, N., Maeda, A., DaCosta, R. S. & Davies, J. E. Nanosurfaces modulate the mechanism of peri-implant endosseous healing by regulating neovascular morphogenesis. *Commun. Biol.* **1**, 72 (2018).

---

**55. M. Prestat, D. Thierry. Corrosion of titanium under simulated inflammation conditions: clinical context and in vitro investigations, *Acta Biomaterialia*, 2021, ISSN 1742-7061. <https://doi.org/10.1016/j.actbio.2021.10.002>**

---

[29] J.L. Gilbert, S. Mali, R.M. Urban, C.D. Silverton, J.J. Jacobs. In vivo oxide-induced stress corrosion cracking of Ti-6Al-4V in a neck-stem modular taper: Emergent behavior in a new mechanism of in vivo corrosion. *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, 100 B (2012), pp. 584-594, [10.1002/jbm.b.31943](https://doi.org/10.1002/jbm.b.31943) [View PDF](#) [CrossRefView](#) [Record in Scopus](#) [Google Scholar](#)

[30] J. Lechner, S. Noubissi, V. von Baehr. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* **9** (2018), pp. 331-343, [10.1007/s13167-018-0138-6](https://doi.org/10.1007/s13167-018-0138-6) [\\_View PDF](#) [CrossRefView](#) [Record in Scopus](#) [Google Scholar](#)

[31]

. Bressan, L. Ferroni, C. Gardin, G. Bellin, L. Sbricoli, S. Sivoiella, G. Brunello, D. Schwartz-Arad, E. Mijiritsky, M. Penarrocha, A. Piattelli, B. Zavan. Metal nanoparticles released from dental implant surfaces: Potential contribution to chronic inflammation and peri-implant bone loss. *Materials (Basel)*, 12 (2019), [10.3390/ma12122036](https://doi.org/10.3390/ma12122036) [Google Scholar](#)

**56. Bollen C | Volume 1; Issue 1 (2020) | Mapsci-JDR-1(1)-005 | Case Report Citation: Bollen C, Dargel I, Almasri M. Replacement of 2 Incisors by Zirconia Implants: An Extended Case-Report. J Dent Rep. 2020;1(1):1-8.**

---

9. Choukroun J, et al., Two neglected biologic risk factors in bone grafting and implantology: high lowdensity lipoprotein cholesterol and low serum vitamin D. *J Oral Implantol.* 2014;40(1):110-4.

10. Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent.* 2018;10:251.

11. Ammoun R, et al., Influence of tooth preparation design and scan angulations on the accuracy of two intraoral digital scanners: An in vitro study based on 3-dimensional comparisons. *J Prosthodont.* 2020;29(3):201-6.

---

**57. Eirini Zampara, Marco Bergamini, Huzefa S Talib, Thomas Wiedemann. Is Aseptic Bone Necrosis a Cause For Early Implant Failure in Patients with Metal Allergies? - A case report and review of the literature. THE JOURNAL OF ORAL CERAMIC IMPLANTOLOGY — Vol. 12-No.1; 39-38**

36. Fretwurst T, Buzanich G, Nahles S, Woelber JP, Riesemeier H, Nelson K. Metal elements in tissue with dental peri- implantitis: A pilot study. *Clin Oral Implants Res* 2016;27:1178–1186.

37. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—A critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J* 2018;9(3):331–343.

38. Hallab N. Metal sensitivity in patients with orthopedic implants. *J Clin Rheumatol* 2001;7(4):215–218.

**58. Nur A. Ali, Dika P. Destiani, Riezki Amalia. The Roles of TNFRSF11B Genes as a Trigger for Secondary Osteoporosis in Rheumatoid Arthritis Cases. September 2021. Indonesian Journal of Clinical Pharmacy 10(3):234-248; DOI: 10.15416/ijcp.2021.10.3.234.**

**59. Subramanian M, et al. Putative role of prosthetic dental implants in the development of cardiac sarcoidosis: A case-control study. SARCOIDOSIS, VASCULITIS AND DIFFUSE LUNG DISEASES 2021; 38 (3); e2021023 DOI: 10.36141/svdlid.v38i3.110922**

23. Pascon EA, Spangberg LS. In vitro cytotoxicity of root canal filling materials: 1. Gutta-percha. Journal of endodontics. 1990;16:429-433.

24. Lechner J BV. Impact of Endodontically Treated Teeth on Systemic Diseases. Dentistry. 2018;8.

25. Fireman E, Kramer MR, Priel I, Lerman Y. Chronic beryllium disease among dental technicians in Israel. Sarcoidosis, vasculitis, and diffuse lung diseases : official journal of WASOG. 2006;23:215-221

**60. Khudan R, et al. Hydrogen sulfide metabolism and its role in the development of periodontal diseases Rom J Diabetes Nutr Metab Dis. 2021; volume 28, issue 3.**

**DOI: [10.46389/rjd-2021-1047](https://doi.org/10.46389/rjd-2021-1047)**

30. Lechner, J., von Baehr, V. (2015). Stimulation of proinflammatory cytokines by volatile sulfur compounds in endodontically treated teeth. Int J Gen Med. 8:109–118.

31. Calenic, B., Yaegaki, K., Kozhuharova, A., Imai T. (2010). Oral malodorous compound causes oxidative stress and p53-mediated programmed cell death in keratinocyte stem cells. J Periodontol. 81(9):1317–1323.

**61. Radam AA, Zuhair R. Biochemical Aspects in Sera of Iraqi Patients with Trigeminal Neuralgia. October 2021, NeuroQuantology 19(9):14-19.DOI: 10.14704/nq.2021.19.9.NQ21132**

.. Definitely, trigeminal neuralgia (TN) is an exclusive facial pain syndrome characterized by paroxysmal, shock-like pain attacks located exactly in the somatosensory distribution of the trigeminal nerve [Montano et al., 2015]. In this regard, pain is the definite feature of inflammation concerning TN [Lechner et al., 2015]. On the other hand glycoconjugates are biosynthesized through a biochemical process called glycosylation and can differ in their glycan sequences, connections and length [Reily et al., 2019]. ...

**62. Karl-Schoeller F, et al. A translational study: Involvement of miR-21-5p in development and maintenance of neuropathic pain via immune-related targets CCL5 and YWHAE. November 2021. Experimental Neurology 347(10):113915.DOI:[10.1016/j.expneurol.2021.113915](https://doi.org/10.1016/j.expneurol.2021.113915)**

Lantero, A., Tramullas, M., Diaz, A., Hurle, M.A., 2012. Transforming growth factor-beta in normal nociceptive processing and pathological pain models. Mol. Neurobiol. 45, 76–86.

Lechner, J., von Baehr, V., 2015. Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in jawbone cavitation. *Evid. Based Complement. Alternat. Med.* 2015, 582520.

Leinders, M., Uceyler, N., Thomann, A., Sommer, C., 2017. Aberrant microRNA expression in patients with painful peripheral neuropathies. *J. Neurol. Sci.* 380, 242–249. Liou, J.T.,

**63. Raj Kumar Manchanda RK, et al. The Clinical and Biological Effects of Homeopathically Prepared Signaling Molecules: A Scoping Review. November 2021; DOI: [10.1055/s-0041-1732305](https://doi.org/10.1055/s-0041-1732305)**

- **37** Floris I, García-González V, Palomares B, Appel K, Lejeune B. [The micro-immunotherapy medicine 2LARTH® reduces inflammation and symptoms of rheumatoid arthritis \*in vivo\*](#). *Int J Rheumatol* 2020; 2020: 1594573
- **38** Floris I, Lechner J, Lejeune B. [Follow-up of patients with systemic immunological diseases undergoing fatty-degenerative osteolysis of the jawbone surgery and treated with RANTES 27CH](#). *J Biol Regul Homeost Agents* 2018; 32: 37-45
- **39** Jenaer M, Henry MF, Garcia A, Marichal B. [Evaluation of 2LHERP in preventing recurrences of genital herpes](#). *Institut International 3IDI*. *Br Homeopath J* 2000; 89: 174-177

**64. Furkan Ayaz, Didem Demir & Nimet Bölgen (2021) Differential anti-inflammatory properties of chitosan-based cryogel scaffolds depending on chitosan/gelatin ratio, Artificial Cells, Nanomedicine, and Biotechnology, 49:1, 682-690, DOI: [10.1080/21691401.2021.2012184](https://doi.org/10.1080/21691401.2021.2012184)**

13. Kzhyskowska J, Gudima A, Riabov V, et al. Macrophage responses to implants: prospects for personalized medicine. *J Leukoc Biol.* 2015;98(6):953–962. [\[Crossref\]](#), [\[PubMed\]](#), [\[Google Scholar\]](#)

14. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* 2018;9(3):331–343. [\[Crossref\]](#), [\[PubMed\]](#), [\[Google Scholar\]](#)

15. Wang X, Xu X, Huang H, et al. Interleukin-6 first plays pro- then anti-inflammatory role in early versus late acute renal allograft rejection. *Ann Clin Lab Sci.* 2013;43(4):389–394. [\[PubMed\]](#), [\[Google Scholar\]](#)

**65. Mamun-Or-Rashid ANM, Lucy TT, Yagi M, Yonei Y. Inhibitory Effects of Astaxanthin on CML-HSA-Induced Inflammatory and RANKL-Induced Osteoclastogenic Gene Expression in RAW 264.7 Cells. *Biomedicines.* 2022; 10(1):54. <https://doi.org/10.3390/biomedicines10010054>**

12. Kany, S.; Vollrath, J.T.; Relja, B. Cytokines in inflammatory disease. *Int. J. Mol. Sci.* 2019, 20, 6008. [\[Google Scholar\]](#) [\[CrossRef\]](#)

13. Lechner, J.; Rudi, T.; Von Baehr, V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: A review of known and poorly understood inflammatory patterns in

osteonecrosis. *Clin. Cosmet. Investig. Dent.* **2018**, *10*, 251–262. [[Google Scholar](#)]  
[[CrossRef](#)] [[PubMed](#)]

14. Yokota, K.; Sato, K.; Miyazaki, T.; Aizaki, Y.; Tanaka, S.; Sekikawa, M.; Kozu, N.; Kadono, Y.; Oda, H.; Mimura, T. Characterization and function of tumor necrosis factor and Interleukin-6–induced osteoclasts in rheumatoid arthritis. *Arthritis Rheumatol.* **2021**, *73*, 1145–1154. [[Google Scholar](#)] [[CrossRef](#)]

**66. Dong-Dong Wu, Ebenezer Erasto Ngowi, Yuan-Kun Zhai, Yi-Zhen Wang, Nazeer Hussain Khan, Ahmad Fadhil Kombo, Saadullah Khattak, Tao Li, Xin-Ying Ji, "Role of Hydrogen Sulfide in Oral Disease", *Oxidative Medicine and Cellular Longevity*, vol. 2022, Article ID 1886277, 14 pages, 2022. <https://doi.org/10.1155/2022/1886277>**

138. G. Sundqvist, D. Figdor, S. Persson, and U. Sjögren, "Microbiologic analysis of teeth with failed endodontic treatment and the outcome of conservative re-treatment," *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics*, vol. 85, no. 1, pp. 86–93, 1998. View at: [[Publisher Site](#)] | [[Google Scholar](#)]

139. E. Jacobi-Gresser, S. Schütt, K. Huesker, and V. Von Baehr, "Methyl mercaptan and hydrogen sulfide products stimulate proinflammatory cytokines in patients with necrotic pulp tissue and endodontically treated teeth," *Journal of Biological Regulators and Homeostatic Agents*, vol. 29, no. 1, pp. 73–84, 2015. View at: [[Google Scholar](#)]

140. J. Lechner and V. von Baehr, "Stimulation of proinflammatory cytokines by volatile sulfur compounds in endodontically treated teeth," *International Journal of General Medicine*, vol. 8, pp. 109–118, 2015. View at: [[Publisher Site](#)] | [[Google Scholar](#)]

141. G. Oláh, K. Módis, G. Törö, M. R. Hellmich, B. Szczesny, and C. Szabo, "Role of endogenous and exogenous nitric oxide, carbon monoxide and hydrogen sulfide in HCT116 colon cancer cell proliferation," *Biochemical Pharmacology*, vol. 149, pp. 186–204, 2018. View at: [[Publisher Site](#)] | [[Google Scholar](#)]

**67. Cilia, C.; Friggieri, D.; Vassallo, J.; Xuereb-Anastasi, A.; Formosa, M.M. Whole Genome Sequencing Unravels New Genetic Determinants of Early-Onset Familial Osteoporosis and Low BMD in Malta. *Genes* 2022, *13*, 204. <https://doi.org/10.3390/genes13020204>**

106. Holbrook, J.; Lara-Reyna, S.; Jarosz-Griffiths, H.; McDermott, M. Tumour necrosis factor signalling in health and disease. *F1000Research* **2019**, *8*, 111. [[Google Scholar](#)]  
[[CrossRef](#)] [[PubMed](#)]

107. Lechner, J.; Rudi, T.; von Baehr, V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: A review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin. Cosmet. Investig. Dent.* **2018**, *10*, 251–262. [[Google Scholar](#)]  
[[CrossRef](#)] [[PubMed](#)]

108. Greenblatt, M.B.; Shim, J.H. Osteoimmunology: A brief introduction. *Immune Netw.* **2013**, *13*, 111–115. [[Google Scholar](#)] [[CrossRef](#)] [[PubMed](#)]

**68. Varkha Rattu, Jay Parmar, Devan Raindi. Vitamin D and periodontitis: shedding the light. December 2021, *Dental Update* 48(11):946-55. doi.org/10.12968/denu.2021.48.11.946**

11. Bjelakovic G, Gluud LL, Nikolova D et al. Vitamin D supplementation for prevention of mortality in adults. *Cochrane Database Syst Rev* 2014; (1): CD007470. <https://doi.org/10.1002/14651858.CD007470.pub3>. [Medline](#), [Google Scholar](#)

12. Lechner J, Aschoff J, Rudi T. The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: an interface between osteoimmunology and bone metabolism. *Int J Gen Med* 2018; 11: 155–166. <https://doi.org/10.2147/IJGM.S152873>. [Medline](#), [Google Scholar](#)

13. Isola G, Alibrandi A, Rapisarda E et al. Association of vitamin D in patients with periodontitis: a cross-sectional study. *J Periodontal Res* 2020; 55: 602–612. <https://doi.org/10.1111/jre.12746>. [Medline](#), [Google Scholar](#)

**69. Del Pinto, R, Monaco, A, Ortu, E, et al. Access to dental care and blood pressure profiles in adults with high socioeconomic status. *J Periodontol.* 2021; 00 1- 12. <https://doi.org/10.1002/JPER.21-0439>**

35 Meija G, Jamieson LM, Ha D, Spencer AJ. Greater inequalities in dental treatment than in disease experience. *J Dent Res.* 2014;93(10):966-971. [CrossrefCASPubMedWeb of Science](#) [Google Scholar](#)

36 Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J.* 2018;9(3):331-343. [CrossrefPubMedWeb of Science](#) [Google Scholar](#)

37 Konttinen YT, Lappalainen R, Laine P, Kitti U, Santavirta S, Teronen O. Immunohistochemical evaluation of inflammatory mediators in failing implants. *Int J Periodontics Restorative Dent.* 2006;26(2):135-141. [PubMedWeb of Science](#) [Google Scholar](#)

**70. Mutter J. Überleben bei ALS? Kiefersanierung und Ausleitung mit Chelatbildnern können die Lebensqualität verbessern und das Überleben verlängern. *Zeitschrift für Orthomolekulare Medizin* 2019; 17(02): 28-38. DOI: 10.1055/a-0920-7970**

64 Pamphlett R, Kum Jew S. Inorganic mercury in human astrocytes, oligodendrocytes, corticomotoneurons and the locus ceruleus: implications for multiple sclerosis, neurodegenerative disorders and gliomas. *Biometals* 2018; 31 (05) : [807](#)-819

65 Lechner J, von Baehr V. RANTES and fibroblast growth factor 2 in jawbone cavitations: triggers for systemic disease? *Int J Gen Med* 2013; 6: [277-290](#)

66 World Health Organisation (WHO). [Environmental health criteria 118: inorganic mercury](#). Geneva: WHO; 1991

**71. Oršolić N, et al. Antioxidative and Anti-Inflammatory Activities of Chrysin and Naringenin in a Drug-Induced Bone Loss Model in Rats. *International Journal of Molecular Sciences*. 2022; 23(5):2872. <https://doi.org/10.3390/ijms23052872>**

32. Ajuebor, M.N.; Hogaboam, C.M.; Kunkel, S.L.; Proudfoot, A.E.; Wallace, J.L. The chemokine RANTES is a crucial mediator of the progression from acute to chronic colitis in the rat. *J. Immunol.* 2001, 166, 552–558. [CrossRef] [PubMed]

33. Lechner, J.; Aschoff, J.; Rudi, T. The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: An interface between osteoimmunology and bone metabolism. *Int. J. Gen. Med.* 2018, 11, 155–166. [CrossRef][PubMed]

34. Whisner, C.M.; Castillo, L.F. Prebiotics, bone and mineral metabolism. *Calcif. Tissue Int.* 2017, 102, 443–479. [CrossRef]

**72. Goedgedrag S, May CA. A Critical look at Fatty Degenerative Osteonecrosis of the jawbone: A Controversy in Modern Dentistry. Thesis for: MSc Biomedical Sciences. March 2022, DOI: 10.13140/RG.2.2.17144.32004**

Lechner, J., S. Schuett, and V. von Baehr, Aseptic-avascular osteonecrosis: local "silent inflammation" in the jawbone and RANTES/CCL5 overexpression. *Clinical, cosmetic and investigational dentistry*, 2017. 9: p. 99-109.36.

Lechner, J., B. Zimmermann, and M. Schmidt, Focal Bone-Marrow Defects in the Jawbone Determined by Ultrasonography—Validation of New Trans-Alveolar Ultrasound Technique for Measuring Jawbone Density in 210 Participants. *Ultrasound in Medicine & Biology*, 2021. 47(11):p. 3135-3146.38.

Lechner, J., Validation of dental X-ray by cytokine RANTES - comparison of X-ray findings with cytokine overexpression in jawbone. *Clin Cosmet Investig Dent*, 2014. 6: p. 71-9.40.

Lechner, J., T. Schulz, and V. von Baehr, Immunohistological staining of unknown chemokine RANTES/CCL5 expression in jawbone marrow defects—osteoimmunology and disruption of bone remodeling in clinical case studies targeting on predictive preventive personalized medicine. *EPMA Journal*, 2019. 10.41.

Lechner, J. and V. von Baehr, RANTES and fibroblast growth factor 2 in jawbone cavitations: triggers for systemic disease? *Int J Gen Med*, 2013. 6: p. 277-90.42.



Lechner, J. and V. von Baehr, Peripheral Neuropathic Facial/Trigeminal Pain and RANTES/CCL5 in Jawbone Cavitation. Evidence-Based Complementary and Alternative Medicine, 2015. 2015: p.582520.47.

[https://www.researchgate.net/publication/359510555\\_A\\_Critical\\_look\\_at\\_Fatty\\_Degenerative\\_Osteonecrosis\\_of\\_the\\_jawbone\\_A\\_Controversy\\_in\\_Modern\\_Dentistry](https://www.researchgate.net/publication/359510555_A_Critical_look_at_Fatty_Degenerative_Osteonecrosis_of_the_jawbone_A_Controversy_in_Modern_Dentistry) [accessed Apr 07 2022].

**73. Orsolich N, Nemrava J, Jelec Z, Bagatin D, et al. Antioxidative and Anti-Inflammatory Activities of Chrysin and Naringenin in a Drug-Induced Bone Loss Model in Rats. March 2022. International Journal of Molecular Sciences 3(5):2872. DOI: 10.3390/ijms23052872**

Ajuebor, M.N.; Hogaboam, C.M.; Kunkel, S.L.; Proudfoot, A.E.; Wallace, J.L. The chemokine RANTES is a crucial mediator of the progression from acute to chronic colitis in the rat. *J. Immunol.* 2001, 166, 552–558. [CrossRef] [PubMed]

33. Lechner, J.; Aschoff, J.; Rudi, T. The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: An interface between osteoimmunology and bone metabolism. *Int. J. Gen. Med.* 2018, 11, 155–166. [CrossRef] [PubMed]

34. Whisner, C.M.; Castillo, L.F. Prebiotics, bone and mineral metabolism. *Calcif. Tissue Int.* 2017, 102, 443–479. [CrossRef]

**74. Cilia, C.; Friggieri, D.; Vassallo, J.; Xuereb-Anastasi, A.; Formosa, M.M. Whole Genome Sequencing Unravels New Genetic Determinants of Early-Onset Familial Osteoporosis and Low BMD in Malta. *Genes* 2022, 13, 204. <https://doi.org/10.3390/genes13020204>**

106. Holbrook, J.; Lara-Reyna, S.; Jarosz-Griffiths, H.; McDermott, M. Tumour necrosis factor signalling in health and disease. *F1000Research* 2019, 8, 111. [CrossRef] [PubMed]

107. Lechner, J.; Rudi, T.; von Baehr, V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: A re-view of known and poorly understood inflammatory patterns in osteonecrosis. *Clin. Cosmet Investig Dent.* 2018, 10, 251–262. [CrossRef] [PubMed]

108. Greenblatt, M.B.; Shim, J.H. Osteoimmunology: A brief introduction. *Immune Netw.* 2013, 13, 111–115. [CrossRef] [PubMed]

**75. Dong-Dong Wu, Ebenezeri Erasto Ngowi, Yuan-Kun Zhai, Yi-Zhen Wang, Nazeer Hussain Khan, Ahmad Fadhil Kombo, Saadullah Khattak, Tao Li, Xin-Ying Ji, "Role of Hydrogen Sulfide in**

Oral Disease", *Oxidative Medicine and Cellular Longevity*, vol. 2022, Article ID 1886277, 14 pages, 2022. <https://doi.org/10.1155/2022/1886277>

E. Jacobi-Gresser, S. Schütt, K. Huesker, and V. Von Baehr, "Methyl mercaptan and hydrogen sulfide products stimulate proinflammatory cytokines in patients with necrotic pulp tissue and endodontically treated teeth," *Journal of Biological Regulators and Homeostatic Agents*, vol. 29, no. 1, pp. 73–84, 2015.

[140] J. Lechner and V. von Baehr, "Stimulation of proinflammatory cytokines by volatile sulfur compounds in endodontically treated teeth," *International Journal of General Medicine*, vol. 8, pp. 109–118, 2015.

[141] G. Oláh, K. Módis, G. Törö, M. R. Hellmich, B. Szczesny, and C. Szabo, "Role of endogenous and exogenous nitric oxide, carbon monoxide and hydrogen sulfide in HCT116 colon cancer cell proliferation," *Biochemical Pharmacology*, vol. 149, pp. 186–204, 2018.

**76. Rayani A, Davar A, Mollaei M, Zamanzadeh M. Knowledge and Performance of Dentists and Senior Dental Students Regarding the Treatment of Patients Taking Bisphosphonates in Bandar Abbas City, Iran. *Rev Clin Med*. 2021;8(3):123-128.**

6. de Lima PB, Brasil VLM, de Castro JFL, et al. Knowledge and attitudes of Brazilian dental students and dentists regarding bisphosphonate-related osteonecrosis of the jaw. *Support Care Cancer*. 2015;23:3421-3426.7.
7. Lechner J, von Baehr V, Zimmermann B. Osteonecrosis of the jaw beyond bisphosphonates: are there any unknown local risk factors? *Clin Cosmet Investig Dent*. 2021;13:21-37.8.
8. Han AL. The awareness and practice of dentists regarding medication-related osteonecrosis of the jaw and its prevention: a cross-sectional survey. *BMC Oral Health*. 2021;21:155.

**77. Shear's Cysts of the Oral and Maxillofacial Regions, Fifth Edition**

Author(s): Paul M. Speight BDS, PhD, FDRCS (Glasg), FDSRCS (Eng), FDSRCS (Edin), FRCPath,  
First published: 15 June 2022. Print ISBN: 9781119354994 | Online ISBN: 9781119354963  
| DOI: 10.1002/9781119354963  
© 2022 John Wiley & Sons Ltd.

---

Lazar, F., zur Hausen, A., Mischkowski, R., and Zoller, J.E. (2006). Atypical cyst formation following chin augmentation using a nasal osteochondral cartilaginous graft. *Journal of Cranio-Maxillofacial Surgery* **34**: 107–112.

---

Lechner , J. , Schuett , S. , and von Baehr , V. ( 2017 ). Aseptic-avascular osteonecrosis: local 'silent inflammation' in the jawbone and RANTES/CCL5 overexpression . *Clinical, Cosmetic and Investigational Dentistry* **9** : 99 – 109 .

Lechner , J. , Schulz , T. , and von Baehr , V. ( 2019 ). Immunohistological staining of unknown chemokine RANTES/CCL5 expression in jawbone marrow defects-osteimmunology and disruption of bone remodeling in clinical case studies targeting on predictive preventive personalized medicine . *EPMA Journal* **10** : 351 – 364 .

Lechner , J. , Zimmermann , B. , Schmidt , M. , and von Baehr , V. ( 2020 ). Ultrasound sonography to detect focal osteoporotic jawbone marrow defects clinical comparative study with corresponding hounsfield units and RANTES/CCL5 expression . *Clinical, Cosmetic and Investigational Dentistry* **12** : 205 – 216 .

Ledesma-Montes , C. , Hernández-Guerrero , J.C. , and Garcés-Ortiz , M. ( 2000 ). Clinico-pathologic study of odontogenic cysts in a Mexican sample population . *Archives of Medical Research* **31** : 373 – 376 .

**78. Xu et al. A genetic correlation scan identifies blood proteins associated with bone mineral density***BMC Musculoskeletal Disorders (2022) 23:530* <https://doi.org/10.1186/s12891-022-05453-z>

37. Andriani GA, et al. Whole chromosome instability induces senescence and promotes SASP. *Sci Rep.* 2016;6:35218.

38. Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent.* 2018;10:251–62.

39. Thaler R, et al. Homocysteine induces serum amyloid A3 in osteoblasts via unlocking RGD-motifs in collagen. *FASEB J.* 2013;27(2):446–63.

**79. Karl-Schöller F, et al. A translational study: Involvement of miR-21-5p in development and maintenance of neuropathic pain via immune-related targets CCL5 and YWHAE. *Experimental Neurology*; 347, Jan2022, 113915. <https://doi.org/10.1016/j.expneurol.2021.113915>**

Lantero, A., Tramullas, M., Diaz, A., Hurle, M.A., 2012. Transforming growth factor-beta in normal nociceptive processing and pathological pain models. *Mol. Neurobiol.* 45, 76–86.

Lechner, J., von Baehr, V., 2015. Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in jawbone cavitation. *Evid. Based Complement. Alternat. Med.* 2015, 582520.

Leinders, M., Uceyler, N., Thomann, A., Sommer, C., 2017. Aberrant microRNA expression in patients with painful peripheral neuropathies. *J. Neurol. Sci.* 380, 242–249. Liou, J.T.,

**80. Bert Popelier, Ruben Vanheste, Sofie Cuypers, Ward Heggermont, An unexpected cause of a swollen pacemaker pocket: a case report, *European Heart Journal - Case Reports*, Volume 6, Issue 6, June 2022, ytac211, <https://doi.org/10.1093/ehjcr/ytac211>**

21. Olmedo DG, Tasat DR, Evelson P, Guglielmotti MB, Cabrini RL. Biological response of tissues with macrophagic activity to titanium dioxide. *J Biomed Mater Res A* 2008; 84:1087–1093.

22. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J* 2018;9:331–343.

**81. The Serum Level of Proinflammatory TNF-alpha Cytokine in Cyanotic and Acyanotic Congenital Heart Diseases in Mosul City. *Annals of the College of Medicine, Mosul*, 2022; 44(1): 1-9. doi: 10.33899/mmed.2022.133834.1146**

9. Song ST, Bai CM, Zhou JW. Serum TNF- $\alpha$  levels in children with congenital heart disease undergoing cardiopulmonary bypass: A cohort study in China and a meta-analysis of the published literature. *Journal of Clinical Laboratory Analysis*. 2017;31(6). <http://doi:10.1002/jcla.22112>.

10. Lechner, J., Rudi, T., & von Baehr, V. (2018). Osteoimmunology of tumor necrosis factor alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clinical, Cosmetic and Investigational Dentistry*. 2018 ; 10:251–262. <https://doi:10.2147/CCIDE.S184498>.

11. Wajant H, Siegmund D. TNFR1 and TNFR2 in the Control of the Life and Death Balance of Macrophages. *Frontiers in Cell and Developmental Biology*. 2019: 29;7:91. <https://doi.org/10.3389/fcell.2019.00091>

**82. Lee, N.; Park, J.; Miralami, R.; Yu, F.; Skaines, N.; Armstrong, M.; McDonald, R.; Moore, E.; Viveros, A.; Borow, N.; Seo, K.S. Effect of Treated Time of Hydrothermal Etching Process on Oxide Layer Formation and Its Antibacterial Properties. *Biomimetics* 2022, 7, 91. <https://doi.org/10.3390/biomimetics7030091>**

49. Sjöström, T.; Nobbs, A.H.; Su, B. Bactericidal Nanospine Surfaces via Thermal Oxidation of Ti Alloy Substrates. *Mater. Lett.* **2016**, 167, 22–26. [[Google Scholar](#)] [[CrossRef](#)]

50. Lechner, J.; Noubissi, S.; von Baehr, V. Titanium Implants and Silent Inflammation in Jawbone—a Critical Interplay of Dissolved Titanium Particles and Cytokines TNF- $\alpha$  and RANTES/CCL5 on Overall Health? *EPMA J.* **2018**, *9*, 331–343. [[Google Scholar](#)] [[CrossRef](#)]

51. Bavykin, D.V.; Carravetta, M.; Kulak, A.N.; Walsh, F.C. Application of Magic-Angle Spinning NMR to Examine the Nature of Protons in Titanate Nanotubes. *Chem. Mater.* **2010**, *22*, 2458–2465. [[Google Scholar](#)] [[CrossRef](#)]

**83. A. Hayles, et al. Hydrothermally etched titanium: a review on a promising mechano-bactericidal surface for implant applications, *Materials Today Chemistry*, Volume 22, 2021100622, ISSN 2468-5194, <https://doi.org/10.1016/j.mtchem.2021.100622>.**

**84. Lenz M, Schönbauer R, Stojkovic S, Lee J, Gatterer C, Lichtenauer M, Paar V, Emich M, Fritzer-Szekeres M, Strametz-Juranek J, Graf S, Sponder M. RANTES and CD40L under Conditions of Long-Term Physical Exercise: A Potential Link to Adaptive Immunity. *International Journal of Environmental Research and Public Health*. **2022**; *19*(14):8658. <https://doi.org/10.3390/ijerph19148658>**

5. Schober, A.; Manka, D.; von Hundelshausen, P.; Huo, Y.; Hanrath, P.; Sarembock, I.J.; Ley, K.; Weber, C. Deposition of platelet RANTES triggering monocyte recruitment requires P-selectin and is involved in neointima formation after arterial injury. *Circulation* **2002**, *106*, 1523–1529. [[Google Scholar](#)] [[CrossRef](#)]

6. Lechner, J.; von Baehr, V.; Schick, F. RANTES/CCL5 Signaling from Jawbone Cavitations to Epistemology of Multiple Sclerosis-Research and Case Studies. *Degener. Neurol. Neuromuscul. Dis.* **2021**, *11*, 41–50. [[Google Scholar](#)] [[CrossRef](#)]

7. Maghazachi, A.A.; Al-Aoukaty, A.; Schall, T.J. CC chemokines induce the generation of killer cells from CD56+ cells. *Eur. J. Immunol.* **1996**, *26*, 315–319. [[Google Scholar](#)] [[CrossRef](#)]

**85. Guerrero S, Sánchez-Tirado E, Agüí L, González-Cortés A, Yáñez-Sedeño P, Pingarrón JM. Development of an Electrochemical CCL5 Chemokine Immunoplatfrom for Rapid Diagnosis of Multiple Sclerosis. *Biosensors*. **2022**; *12*(8):610. <https://doi.org/10.3390/bios12080610>**

Mori, F.; Nisticò, R.; Nicoletti, C.G.; Zagaglia, S.; Mandolesi, G.; Piccinin, S.; Martino, G.; Finardi, A.; Rossini, P.M.; Marfia, G.A.; et al. RANTES correlates with inflammatory activity and synaptic excitability in multiple sclerosis. *Mult. Scler. J.* **2016**, *22*, 1405–1412. [[CrossRef](#)]

6. Lechner, J.; von Baehr, V.; Schick, F. RANTES/CCL5 signaling from jawbone cavitations to epistemology of multiple sclerosis research and case studies. *Degener. Neurol. Neuromuscul. Dis.* **2021**, *11*, 41–50. [[CrossRef](#)]

7. Mahad, D.J.; Howell, S.J.L.; Woodroffe, M.N. Expression of chemokines in the CSF and correlation with clinical disease activity in patients with multiple sclerosis. *J. Neurol. Neurosurg. Psychiatry* 2002, 72, 498–502. [CrossRef]

**86. Naji MA, Marzook HAEIM, El Qashty RMN, et al. Comparison between Effect of Bisphosphonates, Concentrated Growth Factors or Combination on Rabbits' Tibial Bone Defects Healing: An Experimental Study. *J Contemp Dent Pract* 2022;23(6): 572–581.**

35. Barton DW, Smith CT, Piple AS, et al. Timing of bisphosphonate initiation after fracture: What does the data really say? *Geriatr Orthop Surg Rehabil* 2020;11:2151459320980369. DOI: 10.1177/2151459320980369.

36. Lechner J, von Baehr V, Zimmermann B. Osteonecrosis of the jaw beyond bisphosphonates: Are there any unknown local risk factors? *Clin Cosmet Investig Dent* 2021;13:21–37. DOI: 10.2147/CCIDE.S288603.

37. Kwak EJ, Cha IH, Nam W, et al. Effects of locally administered rh BMP-2 and bisphosphonate on bone regeneration in the rat fibula. *Oral Dis* 2018;24(6):1042–1056. DOI: 10.1111/odi.12864.

**87. Shi-Yang Feng, et al. Increased joint loading induces subchondral bone loss of the temporomandibular joint via the RANTES-CCRs-Akt2 axis. *JCI Insight*. 2022;7(21):e158874. <https://doi.org/10.1172/jci.insight.158874>.**

41. Agere SA, et al. RANTES/CCL5 induces collagen degradation by activating MMP-1 and MMP-13 expression in human rheumatoid arthritis synovial fibroblasts. *Front Immunol*. 2017;8:1341. View this article via: [CrossRef PubMed Google Scholar](#)

42. Lechner J, et al. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent*. 2018;10:251–262. View this article via: [CrossRef PubMed Google Scholar](#)

43. Kim HJ, et al. Loss of RUNX3 expression promotes cancer-associated bone destruction by regulating CCL5, CCL19 and CXCL11 in non-small cell lung cancer. *J Pathol*. 2015;237(4):520–531. View this article via: [CrossRef PubMed Google Scholar](#)

**88. Jiawen Xu, Shaoyun Zhang, Haibo Si et al. A Genetic Correlation Scan Identifies Blood Proteins Associated With Bone Mineral Density, 14 March 2022, PREPRINT (Version 1) available at Research Square [<https://doi.org/10.21203/rs.3.rs-1358906/v1>]**

36. Hoshi K, Nomura K, Sano Y, Koshihara Y: Nuclear vitamin K2 binding protein in human osteoblasts: homologue to glyceraldehyde-3-phosphate dehydrogenase. *Biochem Pharmacol* 1999, 58(10):1631- 1638.

37. Lechner J, Rudi T, von Baehr V: Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent* 2018, 10:251-262.

38. Thaler R, Zwerina J, Rumpler M, Spitzer S, Gamsjaeger S, Paschalis EP, Klaushofer K, Varga F: Homocysteine induces serum amyloid A3 in osteoblasts via unlocking RGD-motifs in collagen. *FASEB J* 2013, 27(2):446-463.

**89. Jianrui Zheng<sup>1</sup>, Zhi Yao<sup>1</sup>, Lixiang Xue<sup>2\*</sup>, 1 Deli Wang<sup>1\*</sup>, Zhen Tan<sup>1\*</sup>. Inflammation, osteoimmunology and osteonecrosis**

31. Chen B, Liu Y, Cheng L. Il-21 fördert den Knorpelabbau durch den Jak-Stat Signalweg bei Osteonekrose des Hüftkopfkorpels. *Entzündung* (2018) 41(2):595-605. Epub 2017/12/17. doi: 10.1007/s10753-017-0715-1.

32. Lechner J, Rudi T, von Baehr V. Osteoimmunology of Tumor Necrosis Factor-Alpha, Il-6, und Rantes/Ccl5: Ein Überblick über bekannte und schlecht verstandene Entzündungsmuster bei Osteonecrosis. *Clin Cosmet Investig Dent* (2018) 10:251-62. Epub 2018/12/07. doi:10.2147/CCIDE.S184498.

33 Zhang W, Gao L, Ren W, Li S, Zheng J, Li S, et al. The Role of the Immune Response in the Entwicklung der medikamentenbedingten Osteonekrose des Kiefers. *Front Immunol* (2021) 12:606043. Epub 2021/03/16. doi: 10.3389/fimmu.2021.606043.

**90. Ribeiro E.L, de Alencar P.M. Uma alternativa de exodontia minimamente traumática em pacientes que fazem uso de bisfosfonatos. Research, Society and Development, v. 11, n. 3, e45211326683, 2022 (CC BY 4.0) | ISSN 2525-3409 | DOI: <http://dx.doi.org/10.33448/rsd-v11i3.26683>**

Khan, A. A., Morrison, A., Kendler, D. L., Rizzoli, R., Hanley, D. A., Felsenberg, D., Mccauley, L., O’Ryan, F., Reid, I., Ruggiero, S., Taguchi, A., Tetradis, S., Watts, N., Brandi, M., Peters, E., Guise, T., Eastell, R., Cheung, A., Morin, S. ... Compston, J. (2017). Case-Based Review of Osteonecrosis of the Jaw (ONJ) and Application of the International Recommendations for Management From the International Task Force on ONJ. *J. Clin. Densitom*, 20(1):8–24.

Lechner, J., Von Baehr, V., Zimmermann, B. (2021). Osteonecrosis of the jaw beyond bisphosphonates: Are there any unknown local risk factors? *Clinical, Cosmetic and Investigational Dentistry*, 13:21–37.

Maciel, A. P., Quispe, R. A., Martins, L. J., Caldas, R. J., Santos, P. S. (2020). Clinical profile of individuals with bisphosphonate-related osteonecrosis of the jaw: An integrative review. *Med J*, 138(4):326–35.

**91. Alidadi, S., Oryan, A. (2022). Effects of Bisphosphonates on Bone Fracture Healing: An Overview on New Preclinical Animal and Clinical Studies. Ind J Vet Sci and Biotech, 18(1): 1-6.**

Koyama, C., Hirota, M., Okamoto, Y., Iwai, T., Ogawa, T., Hayakawa, T., & Mitsudo, K. (2020). A nitrogen-containing bisphosphonate inhibits osteoblast attachment and impairs bone healing in bone-compatible scaffold. *Journal of the Mechanical Behavior of Biomedical Materials*, 104, 103635.

Lechner, J., von Baehr, V., & Zimmermann, B. (2021). Osteonecrosis of the jaw beyond bisphosphonates: Are there any unknown local risk factors? *Clinical, Cosmetic and Investigational Dentistry*, 13, 21-37.

Li, C.L., Lu, W.W., Seneviratne, C.J., Leung, W.K., Zwahlen, R.A., & Zheng, L.W. (2016). Role of periodontal disease in bisphosphonate-related osteonecrosis of the jaws in ovariectomized rats. *Clinical Oral Implants Research*, 27(1), 1-6.

**92. Zheng J, Yao Z, Xue L, Wang D and Tan Z (2022) The role of immune cells in modulating chronic inflammation and osteonecrosis. *Front. Immunol.* 13:1064245. doi: 10.3389/fimmu.2022.1064245**

43. Chen B, Liu Y, Cheng L. Il-21 enhances the degradation of cartilage through the jak-stat signaling pathway during osteonecrosis of femoral head cartilage. *Inflammation* (2018) 41(2):595–605. doi: 10.1007/s10753-017-0715-1

44. Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, il-6, and Rantes/Ccl5: A review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent* (2018) 10:251– 62. doi: 10.2147/CCIDE.S184498

45. Zhang W, Gao L, Ren W, Li S, Zheng J, Li S, et al. The role of the immune response in the development of medication-related osteonecrosis of the jaw. *Front Immunol* (2021) 12:606043. doi: 10.3389/fimmu.2021.606043

**93. Wu, J., Huang, H. & Yu, X. How does Hashimoto's thyroiditis affect bone metabolism?. *Rev Endocr Metab Disord* (2022). <https://doi.org/10.1007/s11154-022-09778-x>**

85. Hossein-nezhad A, Spira A, Holick MF. Influence of vitamin D status and vitamin D3 supplementation on genome wide expression of white blood cells: a randomized double-blind clinical trial. *PLoS ONE*. 2013;8(3):e58725.

86. Lechner J, Aschoff J, Rudi T. The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: an interface between osteoimmunology and bone metabolism. *Int J Gen Med*. 2018;11:155–66.

87. Chahardoli R, et al., *Can Supplementation with Vitamin D Modify Thyroid Autoantibodies (Anti-TPO Ab, Anti-Tg Ab) and Thyroid Profile (T3, T4, TSH) in Hashimoto's Thyroiditis? A Double Blind, Randomized Clinical Trial* *Horm Metab Res*, 2019. 51(5): p. 296–301.

**94. Barbari, R., Nassif, N., Sfeir, E. Inflammatory Status of Excavated Pulp Tissue and Internal Root Resorption in Pulpotomized Primary Molars. *Journal of Dentistry*, 2022; 23(3): 284-291. doi: 10.30476/dentjods.2021.88927.1374**

Aidos H, Diogo P, Santos JM. Root resorption classifications: a narrative review and a clinical aid proposal for routine assessment. *Eur Endod J*. 2018; 3: 134-145.

Lechner J, Rudi T, Von\*Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent*. 2018; 10: 251-262.

Shimazaki E, Karakida T, Yamamoto R, Kobayashi S, Fukae M, Yamakoshi Y, et al. TGF- $\beta$  and Physiological Root Resorption of Deciduous Teeth. *Int J Mol Sci*. 2016; 18: 49.

**95. Meng, M., Sun, Y., Bai, Y., Xu, J., Sun, J., Han, L., Sun, H., & Han, R. (2022). A polysaccharide from *Pleurotus citrinopileatus* mycelia enhances the immune response in cyclophosphamide-induced immunosuppressed mice via p62/Keap1/Nrf2 signal transduction pathway. *International Journal of Biological Macromolecules*. <https://doi.org/10.1016/j.ijbiomac.2022.12.142>**



96. Monje A, Kan JY, Borgnakke W. Impact of local predisposing/precipitating factors and systemic drivers on peri-implant diseases. *Clin Implant Dent Relat Res.* 2022;1-21. doi:10.1111/cid.1315

147. Andersen SWM, Ottesen C, Gotfredsen K, Jensen SS, Kofod T, Schiodt M. Outcome of healing after dental implant placement in patients with cancer on high-dose antiresorptive medications: a prospective feasibility study. *Oral Maxillofac Surg.* 2022. <https://doi.org/10.1007/s10006-022-01042-5>

148. Lechner J, von Baehr V, Zimmermann B. Osteonecrosis of the jaw beyond bisphosphonates: are there any unknown local risk factors? *Clin Cosmet Investig Dent.* 2021;13:21-37.

149. Ottesen C, Andersen SWM, Jensen SS, Kofod T, Gotfredsen K. Medication-related osteonecrosis of the jaw and successful implant treatment in a patient on high-dose antiresorptive medication: a case report. *Clin Exp Dent Res.* 2022;8:1059-1067. <https://doi.org/10.1002/cre2.620>

97. Shabaldin N.A., Sinitskaya A.V., Bogdanov L.A., Lobov A.A., Repkin E.A., Shabaldin A.V. Molecular and cellular features of femoral head avascular necrosis: in vivo study. *Fundamental and Clinical Medicine.* 2022;7(4):72-82. (In Russ.) <https://doi.org/10.23946/2500-0764-2022-7-4-72-82>

7. Chen B, Du Z, Dong X, Li Z, Wang Q, Chen G, Zhang G, Song Y. Association of Variant Interactions in RANK, RANKL, OPG, TRAF6, and NFATC1 Genes with the Development of Osteonecrosis of the Femoral Head. *DNA Cell Biol.* 2019;38(7):734-746. <https://doi.org/10.1089/dna.2019.4710>

8. Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin Cosmet Investig Dent.* 2018;10:251-262. <https://doi.org/10.2147/CCIDE.S184498>
9. Adapala NS, Kim HKW. Comprehensive Genome-Wide Transcriptomic Analysis of Immature Articular Cartilage following Ischemic Osteonecrosis of the Femoral Head in Piglets. *Plos One.* 2016;11(4):e0153174. <https://doi.org/10.1371/journal.pone.0153174>

98. Júlia Fonseca Martins et al. *Research, Society and Development*, v. 11, n. 13, e487111335714, 2022 (CC BY 4.0) | ISSN 2525-3409 | DOI: <http://dx.doi.org/10.33448/rsd-v11i13.35714>

Lang, N. P., & Lindhe, J. (2018). *Tratado de Periodontia Clínica e Implantologia Oral*, 6ª edição. Grupo GEN.

Lechner, J., Rudi, T., & von Baehr, V. (2018). Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. *Clinical, cosmetic and investigational dentistry*, 10, 251.

Lerner, U. H. (2004). New molecules in the tumor necrosis factor ligand and receptor superfamilies with importance for physiological and pathological bone resorption. *Critical Reviews in Oral Biology & Medicine*, 15(2), 64-81

**99. Albrektsson T, Tengvall P, Amengual L, Coli P, Kotsakis GA and Cochran D (2023) Osteoimmune regulation underlies oral implant osseointegration and its perturbation. Front. Immunol. 13:1056914. doi: 10.3389/fimmu.2022.1056914**

89. Yahara Y, Ma X, Gracia L, Alman BA. Monocyte/Macrophage lineage cells from fetal erythromyeloid progenitors orchestrate bone remodeling and repair. *Front Cell Dev Biol* (2021) 9:622035. doi: 10.3389/fcell.2021.622035

90. Lechner J, Schulz T, von Baehr V. Immunohistological staining of unknown chemokine RANTES/CCL5 expression in jawbone marrow defects[1]osteimmunology and disruption of bone remodeling in clinical case studies targeting on predictive preventive personalized medicine. *EPMA J* (2019) 10 (4):351–64. doi: 10.1007/s13167-019-00182-1

91. Amengual-Penafiel L, Cordova LA, Constanza Jara-Sepulveda M, Branes[1]Aroca M, Marchesani-Carrasco F, Cartes-Velasquez R. Osteoimmunology drives dental implant osseointegration: A new paradigm for implant dentistry. *Jpn Dent Sci Rev* (2021) 57:12–9. doi: 10.1016/j.jdsr.2021.01.001

---

**100. Ikman Ishak, M. A review of factors influencing peri-implant bone loss. AIP Conference Proceedings 2347, 020293 (2021); <https://doi.org/10.1063/5.0051600>**

45. R. Delgado-Ruiz and G. Romanos, *Int. J. Mol. Sci.* **19**, (2018). <https://doi.org/10.3390/ijms19113585>, [Google ScholarCrossref](#)

46. J. Lechner, S. Noubissi and V. von Baehr, *EPMA J.* **9**, 331–343 (2018). <https://doi.org/10.1007/s13167-018-0138-6>, [Google ScholarCrossref](#)

47. Z. Berryman, L. Bridger, H. M. Hussaini, *et al.*, *Saudi Dent. J.* (2019). [Google Scholar](#)

---

**101. Bohlouli, Mahboubeh et al. Tissue Buccal Fat Pad- Stromal Vascular Fraction as a Safe Source in Maxillofacial Bone regeneration: A clinical pilot study. Journal of Plastic, Reconstructive & Aesthetic Surgery, Published:February 07, 2023DOI:<https://doi.org/10.1016/j.bjps.2023.01.027>**

44. Voggenreiter G. et al. Immuno-inflammatory tissue reaction to stainless-steel and titanium plates used for internal fixation of long bones. *Biomaterials*. 2003; 24:247-254

43. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA Journal*. 2018; **9**: 331-343

44. Food Administration D. Regulatory considerations for human cells, tissues, and cellular and tissue-based products: minimal manipulation and homologous use. 82. Federal Register, 2017: 54290-54292

**102. Meng, B.; Yang, B.; Qu, Y.; Liu, Y.; Wu, D.; Fu, C.; He, Y.; Chen, X.; Liu, C.; Kou, X.; et al. Dual Role of Interleukin-20 in Different Stages of Osteoclast Differentiation and Its Osteoimmune Regulation during Alveolar Bone Remodeling. *Int. J. Mol. Sci.* **2023**, *24*, 3810. <https://doi.org/10.3390/ijms24043810> Academic**

52. Boyle, W.J.; Simonet, W.S.; Lacey, D.L. Osteoclast differentiation and activation. *Nature* 2003, 423, 337–342. [CrossRef] [PubMed]

53. Lechner, J.; Rudi, T.; von Baehr, V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: A review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin. Cosmet. Investig. Dent.* 2018, 10, 251–262. [CrossRef][PubMed]

54. Mansky, K.C.; Sankar, U.; Han, J.; Ostrowski, M.C. Microphthalmia transcription factor is a target of the p38 MAPK pathway in response to receptor activator of NF-kappa B ligand signaling. *J. Biol. Chem.* 2002, 277, 11077–11083. [CrossRef]

- 103. Meng, B.; Yang, B.; Qu, Y.; Liu, Y.; Wu, D.; Fu, C.; He, Y.; Chen, X.; Liu, C.; Kou, X.; et al. Dual Role of Interleukin-20 in Different Stages of Osteoclast Differentiation and Its Osteoimmune Regulation during Alveolar Bone Remodeling. *Int. J. Mol. Sci.* 2023, 24, 3810. <https://doi.org/10.3390/ijms24043810>**

52. Boyle, W.J.; Simonet, W.S.; Lacey, D.L. Osteoclast differentiation and activation. *Nature* 2003, 423, 337–342. [CrossRef] [PubMed]

53. Lechner, J.; Rudi, T.; von Baehr, V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: A review of known and poorly understood inflammatory patterns in osteonecrosis. *Clin. Cosmet. Investig. Dent.* 2018, 10, 251–262. [CrossRef] [PubMed]

54. Mansky, K.C.; Sankar, U.; Han, J.; Ostrowski, M.C. Microphthalmia transcription factor is a target of the p38 MAPK pathway in response to receptor activator of NF-kappa B ligand signaling. *J. Biol. Chem.* 2002, 277, 11077–11083. [CrossRef]

- 104. Rafikova, G. et al. Interaction of Ceramic Implant Materials with Immune System. *Int. J. Mol. Sci.* 2023, 24, 4200. <https://doi.org/10.3390/ijms24044200>**

106. Tresgallo-Parés, R.; Torres-Lugo, N.J.; Rosado-Hernández, E.; Olivella, G.; Ramírez, N.; Otero-López, A. Adverse Soft-Tissue Reaction After Ceramic-On-Ceramic Bearing Fracture Mimicking a Periprosthetic Joint Infection. *Arthroplast. Today* 2022, 13, 93–97. [CrossRef]

107. Lechner, J.; Noubissi, S.; von Baehr, V. Titanium Implants and Silent Inflammation in Jawbone—A Critical Interplay of Dissolved Titanium Particles and Cytokines TNF- $\alpha$  and RANTES/CCL5 on Overall Health? *EPMA J.* 2018, 9, 331–343. [CrossRef]

108. Cionca, N.; Hashim, D.; Cancela, J.; Giannopoulou, C.; Mombelli, A. Pro-Inflammatory Cytokines at Zirconia Implants and Teeth. A Cross-Sectional Assessment. *Clin. Oral. Investig.* 2016, 20, 2285–2291. [CrossRef]

- 105. Shi-Yang Feng et al. Mechanical Overloading Induces Articular Subchondral Bone Resorption via the RANTES-CCRs-Akt2 Axis. January 202; SSRN Electronic Journal; DOI: 10.2139/ssrn.3938825**

36. S A Agere, N Akhtar, J M Watson, S Ahmed. Rantes/Ccl5 Induces Collagen Degradation by Activating Mmp-1 and Mmp-13 Expression in Human Rheumatoid Arthritis Synovial Fibroblasts; *Front Immunol*, volume 8. Posted: 2017

37. J Lechner, T Rudi, Von Baehr, V. Osteoimmunology of Tumor Necrosis Factor-Alpha, Il-6, and Rantes/Ccl5: A Review of Known and Poorly Understood Inflammatory Patterns in Osteonecrosis; *Clin Cosmet Investig Dent*, volume 10, p. 251 – 262. Posted: 2018

38. H J Kim, J Park, S K Lee, K R Kim, K K Park, W Y Chung. Loss of Runx3 Expression Promotes Cancer-Associated Bone Destruction by Regulating Ccl5, Ccl19 and Cxcl11 in Non-Small Cell Lung Cancer. *J Pathol*, volume 237, issue 4, p. 520 – 53. Posted: 2015

**106. Amanda Rodriguez Betancourt, Ankita Samal, Hsun-Liang Chan, Oliver D. Kripfgans. Overview of Ultrasound in Dentistry for Advancing Research Methodology and Patient Care Quality with Emphasis on Periodontal/Peri-implant Applications. *Zeitschrift für Medizinische Physik*, 2023, ISSN 0939-3889. <https://doi.org/10.1016/j.zemedi.2023.01.005>.**

[83] H. Selim, N. Elbargothy, Y. Nabil, I. El-Hakim. Evaluation of distracted mandibular bone using computed tomography scan and ultrasonography: technical note. *Dentomaxillofac Radiol*, 38 (5) (2009), pp. 274-280

[84] J. Lechner, B. Zimmermann, M. Schmidt. Focal Bone-Marrow Defects in the Jawbone Determined by Ultrasonography-Validation of New Trans-Alveolar Ultrasound Technique for Measuring Jawbone Density in 210 Participants. *Ultrasound Med Biol*, 47 (11) (2021), pp. 3135-3146

[85] J. Ishii, H. Nagasawa, T. Wadamori, M. Yamashiro, H. Ishikawa, T. Yamada, T. Miyakura, T. Amagasa. Ultrasonography in the diagnosis of palatal tumors. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 87 (1) (1999), pp. 39-43

**107. Sun AR, Sun Q, Wang Y, Hu L, Wu Y, Ma F, Liu J, Pang X, Tang B. Surface modifications of titanium dental implants with strontium eucommia ulmoides to enhance osseointegration and suppress inflammation. *Biomater Res*. 2023 Mar 16;27(1):21. doi: 10.1186/s40824-023-00361-2. PMID: 36927570; PMCID: PMC10022180.**

1. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone-a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?; (in eng). *Epma j*. Sep 2018;9(3):331–43. - [PMC](#) - [PubMed](#)
2. Li X, et al. Surface treatments on titanium implants via nanostructured ceria for antibacterial and anti-inflammatory capabilities. *Acta Biomater*. 2019;94:627–43. doi: 10.1016/j.actbio.2019.06.023. - [DOI](#) - [PubMed](#)

**108. Chen et al. Association between inflammatory markers and bone mineral density: a cross-sectional study from NHANES 2007–2010. *Journal of Orthopaedic Surgery and Research* (2023) 18:305 <https://doi.org/10.1186/s13018-023-03795-5>**

10. Mundy GR. Osteoporosis and inflammation. *Nutr Rev*. 2007;65:S147–51. <https://doi.org/10.1111/j.1753-4887.2007.tb00353.x>.

11. Lechner J, Rudi T, von Baehr V. Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in

osteonecrosis. *Clin Cosmet Investig Dent*. 2018;10:251–62.  
<https://doi.org/10.2147/CCIDE.S184498>.

12. Liu D, Zhu Y, Chen W, Li J, Zhao K, Zhang J, Meng H, Zhang Y. Relationship between the inflammation/immune indexes and deep venous thrombosis (DVT) incidence rate following tibial plateau fractures. *J Orthop Surg Res*. 2020;15:241.  
<https://doi.org/10.1186/s13018-020-01765-9>.

**109. Sahrman et al. Titanium Implant Characteristics After Implantoplasty: An In Vitro Study on Two Different Kinds of Instrumentation. *INT J Oral Maxillofacial Implants* 2019;34:1299-1305. Doi: 10.11607/jomi.7410**

10. Romeo E, Lops O, Chiapasco M, Ghisolfi M, Vogel G. Therapy of peri-implantitis with resective surgery. A 3-year clinical trial on rough screw-shaped oral implants. Part 11: Radiographic outcome. *Clin Oral Implants Res* 2007;18:179-187.

11. Lechner J, Numbissl S, von Baehr V. Titanium Implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health? *EPMA J* 2018;9:331-343.

12. Ramel CF, Lüssi A, Özcan M, Jung RE, Hämmerle CH, Thoma OS. Surface roughness of dental implants and treatment time using six different implantoplasty procedures. *Clin Oral Implants Res* 2016;27:776-781.

**110. Sasamoto N et al. Plasma proteomic profiles of pain subtypes in adolescents and young adults with endometriosis. *Human Reproduction*, dead099, <https://doi.org/10.1093/humrep/dead099>**

Lai HH, Jemielita T, Sutcliffe S, Bradley CS, Naliboff B, Williams DA, Gereau R, Kreder K, Clemens JQ, Rodriguez LV et al.; MAPP Research Network. Characterization of whole body pain in urological chronic pelvic pain syndrome at baseline: a MAPP research network study. *J Urol* 2017;198:622–631.

Lechner J, von Baehr V. Peripheral neuropathic facial/trigeminal pain and RANTES/CCL5 in jawbone cavitation. *Evid Based Complement Alternat Med* 2015;2015:582520.

Lee KM, Jarnicki A, Achuthan A, Fleetwood AJ, Anderson GP, Ellson C, Feeney M, Modis LK, Smith JE, Hamilton JA et al. CCL17 in inflammation and pain. *J Immunol* 2020;205:213–222.

**111. Ehab Qasim Talib, Ghada Ibrahim Taha, Involvement of IL-23 and IL-12 Levels in the Development of Peri-Implantitis, *J Res Med Dent Sci*, 2022, 10 (3):221-229 (15) (PDF) *Involvement of IL-23 and IL-12 Levels in the Development of Peri-Implantitis*. Available from: [https://www.researchgate.net/publication/370898401\\_Involvement\\_of\\_IL-23\\_and\\_IL-12\\_Levels\\_in\\_the\\_Development\\_of\\_Perimplantitis](https://www.researchgate.net/publication/370898401_Involvement_of_IL-23_and_IL-12_Levels_in_the_Development_of_Perimplantitis) [accessed May 22 2023].**

5. Buddula A, Assad DA, Salinas TJ, et al. Survival of dental implants in irradiated head and neck cancer patients: A retrospective analysis. *Clin Implant Dent Related Res* 2012; 14:716-22.

6. Lechner J, Noubissi S, von Baehr V. Titanium implants and silent inflammation in jawbone—a critical interplay of dissolved titanium particles and cytokines TNF- $\alpha$  and RANTES/CCL5 on overall health?. *EPMA J* 2018; 9:331-43.

7. Eming SA, Krieg T, Davidson JM. Inflammation in wound repair: Molecular and cellular mechanisms. *J Invest Dermatol* 2007; 127:514-25

**112. Costa EM, Pinho JRO, Saraiva MdCP, Ribeiro CCC, Batista RFL, Coêlho Alves CM, et al. (2023) RANTES and developmental defects of enamel in children: A Brazilian prenatal cohort (BRISA). *PLoS ONE* 18(7): e0284606. <https://doi.org/10.1371/journal.pone.0284606>**

Lacruz RS, Habelitz S, Wright JT, Paine ML. Dental Enamel Formation and Implications for Oral Health and Disease. *Physiol Rev.* 2017; 97(3):939–93.  
<https://doi.org/10.1152/physrev.00030.2016> PMID:28468833.

40. Lechner J, Aschoff J, Rudi T. The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty-degenerative osteolysis of the jawbone: an interface between osteoimmunology and bone metabolism. *Int J Gen Med.* 2018; 11:155–66.  
<https://doi.org/10.2147/IJGM.S152873> PMID: 29731660.

41. Neto MBC, Silva-Souza KPD, Maranhão VF, Botelho KVG, Heimer MV, Dos Santos-Junior VE. Enamel Defects in Deciduous Dentition and Their Association with the Occurrence of Adverse Effects from Pregnancy to Early Childhood. *Oral Health Prev Dent.* 2020; 18(1): 741–746. <https://doi.org/10.3290/j.ohpd.a45077> PMID: 32895657

**113. Lindy Schaffrick, Jie Ding, Peter Kwan, Edward Tredget, The dynamic changes of monocytes and cytokines during wound healing post-burn injury, *Cytokine*, Volume 168, 2023, 156231, ISSN 1043-666, <https://doi.org/10.1016/j.cyto.2023.156231>.**

[43] K.L. Kroeze, W.J. Jurgens, B.Z. Doulabi, F.J. van Milligen, R.J. Scheper, S. Gibbs, Chemokine-mediated migration of skin-derived stem cells: predominant role for CCL5/RANTES, *J. Investigat. Dermatol.* 129 (6) (2009) 1569–1581.

[44] J. Lechner, V. von Baehr, Chemokine RANTES/CCL5 as an unknown link between wound healing in the jawbone and systemic disease: is prediction and tailored treatments in the horizon? *The EPMA J.* 6 (1) (2015) 10.

[45] S. Frank, H. Kampfer, C. Wetzler, B. Stallmeyer, J. Pfeilschifter, Large induction of the chemotactic cytokine RANTES during cutaneous wound repair: a regulatory role for nitric oxide in keratinocyte-derived RANTES expression, *Biochem. J.* 347 (Pt 1) (2000) 265–273.